



Since forever with you / Depuis toujours avec vous

70 cata 

HOODS / HOTTES

ECO LED
ADJUSTABLE
INTENSITY

ECO LED

HALOGEN

HALOGEN
E-14

LAMP 9W

TOUCH
CONTROL

ELECTRONIC
CONTROL PANEL

MECHANICAL
CONTROL PANEL

CLEANING
FILTERS

DISHWASHER-
WASHABLE FILTERS

PERIMETER
ASPIRATION

1ST SPEED
SILENT MODE

PRODUCT
WIDE

SILENT SPLIT
TECHNOLOGY

DURALUM
FINGERPRINT
FREE

REMOT
CONTROL

OVENS / FOURS

PYROLYSIS
CLEANING
SYSTEM

eco
PYROLYSIS
CLEANING
SYSTEM

AUTO
PYROLYSIS
CLEANING
SYSTEM

FAST
PREHEATING

DEFROSTING

TOTAL VENTI-
LATED RACK

TOTAL RACK

RACK

ROAST KIT

TRADITIONAL,
FAN-ASSISTED
COOKING

eco
TRADITIONAL
COOKING

TRADITIONAL
COOKING

INTERIOR
LIGHTING

UNDERFLOOR
ELEMENT

UPPER
RESISTANCE

UNDERFLOOR
ELEMENT
VENTILATED

CIRCULAR
TURBO

AQUASMART
CLEANING SYSTEM

SUITABLE FOR
50cm CABINET

OVENS
90cm WIDE

BUILT INTO A
45cm UNIT

HOBS / TABLES DE CUISON

BOOSTER
FUNCTION

SLIDER
TOUCH CONTROL

TOUCH
CONTROL

COOKING AREAS

SAFETY LOCK

Ø COOKING AREA

TIMER

CAST IRON
GRILLS/BURNERS

ENAMELLED
GRILLS/BURNERS

FLAME
FAILURE DEVICE

KITCHENWARE / UTENSILES DE CUISINE

APT FOR
INDUCTION
HOB

APT FOR
ELECTRIC
HOB

APT FOR
GAS HOB

APT FOR
VITROCERAMIC
HOB

DISHWASHERS, WASHING MACHINE
AND REFRIGERATOR
LAVE-VAISSELLES, LAVE-LINGES
ET RÉFRIGÉRATEURS

EXTRA
SILENT

LED

3rd LAYER
CUTLERY BASKET

ENERGY CLASS / CLASSE ÉNERGÉTIQUE



KITCHEN ESSENTIALS
L'UNIVERS DE LA CUISINE **2017**

cata 

cata 

CATA, the company / CATA, la société	p4-5
CATA & CAN ROCA	p6-7
HOODS / HOTTES	p11-71
DECORATIVE ISLANDS / ÎLOTS DÉCORATIFS	p22-28
CORNER / HOTTES D'ANGLE	p28
SILENT SPLIT TECHNOLOGY	p29-33
DECORATIVE HOODS / DÉCORATIVES	p36-56
INSERTS / GROUPES FILTRANTS	p58-62
TELESCOPIC / TÉLÉSCOPIQUES	p63-67
CONVENTIONAL / CONVENTIONNELS	p68-71
Ovens / FOURS	p72-95
MICROWAVES / MICRO-ONDES	p97-101
HOBS / TABLES DE CUISSON	p102-147
INDUCTION / À INDUCTION	p112-123
VITROCERAMIC / VITROCÉRAMIQUE	p124-133
GAS / AU GAZ	p134-147
DISHWASHERS, WASHING MACHINE AND REFRIGERATOR LAVE-VAISSELLES, LAVE-LINGES ET RÉFRIGÉRATEURS	p148-155
SINKS and TAPS ÉVIERS DE CUISINE et ROBINETS	p156-179
KITCHENWARE USTENSILES DE CUISINE	p180-186
ACCESSORIES ACCESSOIRES	p187-192

Products designed and manufactured in Spain

CATA ELECTRODOMÉSTICOS, S.L., manufacturer of electrical appliances, founded in Torelló, Spain, in 1947. Since then, we have been pioneers in the domestic extraction business. Our wide product range includes extractors, hoods, hobs, ovens, microwaves, taps, sinks, dishwashers, washing machine and refrigerator and kitchenware.

PRODUITS CONÇUS ET FABRIQUÉS EN ESPAGNE


CATA ELECTRODOMÉSTICOS, S.L. entreprise de fabrication d'appareils électroménagers, fondée en 1947 à Torelló, Espagne. Depuis, nous avons toujours été une entreprise pionnière dans le domaine de l'extraction domestique. Notre vaste gamme de produits comprend des extracteurs, des hottes aspirantes, des plaques de cuisson, des fours, des micro-ondes, des robinets, des éviers, lave-vaisselles, lave-linges, réfrigérateurs et utensiles de cuisine.

Our values: Commitment to our customers

The design and development of our products is based on painstaking studies with a clear orientation towards meeting our customers' needs, providing solutions to promote functionality, efficiency, durability and reliability while remaining environmentally friendly. Every detail is important. That is why, in our brand's more than six decades of history, we have placed, and continue placing, special emphasis on all of them until we obtain the best possible product.

NOS VALEURS : ENGAGEMENT ENVERS NOS CLIENTS

La conception et le développement de nos produits se basent sur des études approfondies visant principalement à répondre aux besoins de nos clients, en apportant des solutions qui favorisent la fonctionnalité, l'efficacité, la durabilité et la fiabilité tout en respectant l'environnement. Chaque détail compte. C'est la raison pour laquelle dans les soixante ans d'histoire de notre marque, nous avons mis et nous continuons à mettre particulièrement l'accent sur chaque détail jusqu'à obtenir le meilleur produit.



Experience

At CATA we are constantly researching. We use top-quality components together with the latest manufacturing techniques to achieve the most technologically advanced products on the market. Our proven experience in the creation, development and manufacturing processes are the pillars on which the high efficiency, quality and reliability of our products is based.

EXPÉRIENCE

Chez **CATA**, nous effectuons des recherches en continu. Nous utilisons des composants de première qualité et les dernières techniques de fabrication pour obtenir les produits les plus avancés du marché au niveau technologique. La forte expérience dans les processus de création, de développement et de fabrication sont les piliers sur lesquels s'appuie l'excellente efficacité, qualité et fiabilité de nos produits.

Energy efficiency. Environment

At **CATA** we are committed to the environment and we think your kitchen can be an example of energy efficiency. A clear example is our exclusive motor with Brushless technology which does away with the traditional graphite brushes, eliminating friction and extending the useful life of the motor while achieving the quietest motors on the market, with an energy saving of up to 84% compared to an equivalent motor.

Another clear example of energy efficiency is our patent, a new, effective water cleaning system **aQuaSmart**[®], incorporated in the new range of **CATA** ovens. It is a new technology with considerable energy savings.

EFFICACITÉ ÉNERGÉTIQUE. ENVIRONNEMENT

Chez **CATA**, nous sommes soucieux du respect de l'environnement et nous pensons que votre cuisine peut être un exemple d'efficacité énergétique. Notre moteur exclusif équipé de la technologie Brushless qui se passe des brosses en graphite traditionnelles, éliminant ainsi le frottement et prolongeant la vie utile du moteur en est un excellent exemple. Nous arrivons ainsi à proposer les moteurs les plus silencieux du marché avec une économie énergétique de jusqu'à 84% si on les compare à des moteurs équivalents.

Notre brevet, un nouveau système de nettoyage par eau **aQuaSmart**[®] très efficace, intégré dans la nouvelle gamme des fours **CATA**, constitue un autre exemple manifeste d'efficacité énergétique. Il s'agit d'une nouvelle technologie comportant d'importantes économies d'énergie.

The family grows

Thanks to the experience in innovation, design and manufacture of appliances for more than 65 years, in **CATA** we are proud to introduce our new product families, with high demand and efficiency that characterizes all **CATA** appliances.

Your kitchen completes **CATA**

The white line products that you will find in this new catalog are designed, developed and manufactured with the clear orientation of satisfying the needs of our customers and providing solutions of efficiency, durability and reliability.

CATA refrigerators, dishwashers and washing machines are the best demonstration that functionality is not at odds with design and elegance.



Perfect combination with your countertop

The new **CATA** range of cookware becomes the perfect match for your countertop, it allows to configure a complete and comprehensive catalogue that covers all needs for food processing.



La famille grandit

Merci à l'expérience dans l'innovation, la conception et la fabrication d'appareils électroménagers depuis plus de 65 ans, dans **CATA** nous sommes fiers de présenter nos nouvelles familles de produits, avec l'haute exigence et efficacité qui caractérise tous les appareils de **CATA**.

Votre cuisine complète **CATA**

Les produits électroménagers dans ce nouveau catalogue sont conçus, développés et fabriqués visant certainement à répondre aux besoins de nos clients, en fournissant des solutions pour l'efficacité, la durabilité et la fiabilité.

Les réfrigérateurs, les lave-vaisselles et les machines à laver de **CATA** sont la meilleure preuve que la fonctionnalité, la conception et l'élégance ne sont pas incompatibles.

Combinaison parfaite avec votre plan de travail

La nouvelle gamme de récipients de cuisson de **CATA** devient la combinaison parfaite pour votre plan de travail, permet de configurer un catalogue complet et intégral couvrant tous les besoins pour l'élaboration des aliments.

70

1947-2017 Anniversary

Since forever with you

CNA Group is a leading manufacturer in the world of household appliances. We have been perfecting our products for 70 years and trying to offer an excellent product in both design and performance.

Founded in Barcelona in 1947, since then it has been a pioneer in the domestic extraction business with a wide range of products including extractors, conventional and decorative extractor hoods, ovens, hobs, microwaves, taps, sinks, washing machines, dishwashers, refrigerators,

thermos and equipment with the use of high quality materials treated in an environmentally friendly way.

Cata, headquartered in the province of Barcelona, began its industrial activity with the manufacture of coffee grinders and other small appliances, although it gradually reoriented its activity towards cooking products.

Since its inception, **Cata** has grown and strengthened its position in the market until it reaches its current leadership in the Spanish domestic extraction market and a benchmark in the international market within its sector.



70e anniversaire de CATA

CNA Group est une société de fabrication de référence dans le domaine des appareils électroménagers dans le monde entier. Nous avons 70 ans à perfectionner nos produits et à offrir un excellent produit à la fois dans la conception et dans la performance.

Fondée à Barcelone en 1947 et depuis, la société est pionnière dans le domaine de l'extraction domestique ayant une large gamme de produits, y compris des hottes aspirantes, des hottes conventionnelles et décoratives, des fours, des plaques de cuisson, des micro-ondes, des robinets, des éviers, des machines à laver, des

lave-vaisselles, des réfrigérateurs, des appareils de chauffage et de cuisine avec l'utilisation de matériaux de haute qualité respectueux de l'environnement.

Cata, dont le siège central est à Barcelone, a commencé son activité industrielle faisant des moulins à café et d'autres petits appareils électroménagers, mais elle a réorienté progressivement ses activités vers des produits de cuisson.

Depuis sa création, Cata est en croissance et a renforcé sa position sur le marché jusqu'à atteindre sa position actuelle de leader sur le marché espagnol pour l'extraction domestique et une référence sur le marché international.

EL CELLER DE CAN ROCA THE BEST RESTAURANT IN THE WORLD 2013/2015



The prestigious British magazine **RESTAURANT**, which publishes the ranking of the 50 best restaurants in the world every year, has named **El Celler de Can Roca**, run by the brothers **Joan, Josep and Jordi Roca**, as the best restaurant in the world in 2013 and 2015.


With this award, **El Celler de Can Roca** reaches the peak of world cuisine. In 2011, 2012 and 2014, the perfect combination of jobs well done by the three Roca brothers – Joan, Josep and Jordi – made **El Celler de Can Roca** the second best restaurant in the world.

In 2013 and 2015, the brothers finally achieved the well-deserved reward of being considered the best restaurant in the world.

El Celler de Can Roca is permanently committed to avant-garde cooking, without forgetting the memory of the family's ancestors.

We feel proud of working together with the Roca brothers on developing the exclusive "**Cata & Can Roca**" product range. This successful relationship began in order to create products to maintain the high standard of Spanish cuisine.

At **CATA** we have the privilege of having the collaboration of the Roca brothers in the development of the exclusive



Cata & Can Roca collection, a unique range of products with which we intend to offer the highest standards of excellence for the most demanding kitchen users. To achieve this, we have decorative island hoods with a careful modern design, offering maximum energy efficiency, adjustable-intensity LED lighting and maximum efficiency and low-consumption Brushless motor with minimum sound levels. Induction hobs, including our Giga 750 model, with which you can enjoy the largest cooking zone on the market measuring up to 40cm in

diameter. Ovens and microwaves with the latest technology for perfect integration into your kitchen.

Thanks to Cata's collaboration with the Roca brothers, it has been possible to develop this range of products offering the highest levels of excellence for those who feel cooking as a unique experience.



Le CELLER DE CAN ROCA : LE MEILLEUR RESTAURANT DU MONDE

Le prestigieux magazine britannique **RESTAURANT** qui publie tous les ans le classement des 50 meilleurs restaurants du monde, a nommé Meilleur restaurant du monde le **Celler de Can Roca**, qui est dirigé par les trois frères Joan, Josep et Jordi Roca.

Avec ce prix, le **Celler de Can Roca** a atteint l'échelon le plus élevé de la cuisine au niveau mondial. En 2011 et en 2012, la parfaite association de l'excellent travail des trois frères Roca - Joan, Josep et Jordi - a placé le **Celler de Can Roca** au rang de deuxième meilleur restaurant du monde.

Ils obtiennent enfin en 2013 et 2015 le prix plus que mérité : on décerne au Celler le titre de meilleur restaurant du monde.

Il existe au **Celler de Can Roca** un compromis permanent entre la cuisine d'avant-garde, et la volonté de ne pas renoncer à la mémoire des prédécesseurs dans leur famille.

Nous sommes fiers de collaborer avec les frères Roca dans le développement de la gamme exclusive des produits "Cata et Can Roca".

Cette relation réussie est née avec l'objectif de créer des produits visant à maintenir le haut niveau de la Cuisine Espagnole.

Chez **CATA**, nous avons le privilège de bénéficier de la collaboration des frères Roca dans le développement de la gamme **Cata & Can Roca**, une gamme originale de produits avec laquelle nous souhaitons offrir l'excellence aux utilisateurs les plus exigeants. Nous proposons pour cela les hottes en îlot et les hottes décoratives au design moderne et soigné. Elles offrent une économie énergétique maximale, l'éclairage par led à intensité modulable et disposent d'un moteur Brushless avec excellent rendement, faible consommation et niveau sonore minimum. Des plaques de cuisson à induction, parmi lesquelles vous trouverez notre modèle Giga, en blanc et noir, et Giga 750. Ce modèle vous permet de profiter de la zone de cuisson la plus grande du marché (jusqu'à 40cm de diamètre). Des fours et des fours micro-ondes avec les dernières technologies pour une parfaite intégration dans la cuisine.

La collaboration avec les frères Roca nous a permis de développer cette gamme de produits proposant l'excellence à ceux pour qui la cuisine est une expérience unique.





HOODS / HOTTES

Technology Investment: Efficient Products

We believe in a state-of-the-art technology to provide efficient products that meet real needs and allow for saving time, effort and money. **CATA** has been in kitchens for more than 70 years with efficient products and solutions that simplify life and meet the needs and tastes of all consumers. Fulfilling the commitment to bring them the latest technology and design.



Large capacity of extraction

Thanks to the advanced technology used in manufacturing and the components used, we can provide the most efficient hoods on the market, ensuring greater strength and quality. **CATA** provides in its current models an extraction capacity of 850 m³/h (according to European standard UNE-EN 61591).

Minimum sound level

When looking for a hood, we always seek the maximum extraction with the minimum noise level. These are two of the main priorities when buying a hood. In **CATA** we are proud to offer extra silent hoods thanks to the materials used, testing soundproofing and especially to our experience acquired through years in the world of extraction which has made us market leaders.



Investissement technologique: produits efficaces

Nous fabriquons des produits avec l'objectif clair de perfectionner, d'apporter des solutions et de générer de nouvelles sensations chez les consommateurs, accomplissant ainsi l'engagement d'approcher les dernières technologies et conceptions.

CATA est dans les cuisines depuis plus de 70 ans avec des produits et des solutions efficaces qui simplifient la vie et qui répondent aux besoins et aux goûts des consommateurs.

Grande capacité d'extraction

Grâce à la technologie avancée et les composants utilisés lors du

processus de fabrication, nous pouvons offrir les hottes les plus efficaces du marché, assurant ainsi une plus grande endurance et une grande qualité. **CATA** fournit dans ses modèles actuels une capacité d'extraction de jusqu'à 850 m³/h (selon la norme européenne UNE-EN 61591).

Niveau sonore minimal

Lors de la recherche d'une hotte, les deux principales priorités sont toujours la plus grande extraction avec un niveau sonore minimal. Chez **CATA**, nous sommes fiers de fournir des hottes extra-silencieuses grâce aux matériaux utilisés, les tests d'insonorisation et surtout grâce à notre expérience acquise pendant des années dans le monde de l'extraction qui a fait de nous les leaders du marché.

High Energy Rating

CATA gets the most efficient hoods in the market rated with A+. Choosing CATA A+ appliances means ensuring maximum performance, environmental protection and lower energy consumption.

Choosing the hood



For the proper hood choice it is necessary to know the surface area and height of the kitchen, that determines the air volume. Renewing at min to max. speed 6 to 10 times/hour ensures clean and fresh air in the kitchen.

For example, if the kitchen has a 10 m² surface and a 2.5 m height the room's volume is 10 m² x 2.5 m² = 25 m³

That is 25 m³ x 6 = 150 m³/h that must be renewed at a minimum speed, and 25 m³ x 10 = 250 m³ at a maximum speed. In other words, the hood must be capable of extracting 250 m³/h at a maximum speed.

The data flow published in the catalog complies with the **UNE-EN 61591** standard specific for hoods. It indicates the actual extraction capacity of the hood in m³/h and pressure in Pa in a checkpoint.

The **UNE-EN 61591** standard is related to the diameter and/or passage section of the extraction duct, and tells us that the data must be measured with the opposition offered by the rated output diffuser. That would be, 5 Pa for Ø15cm outputs, or 15 Pa for Ø12cm outputs. For its acceptance, that measurement must be performed at the end of what it is considered a minimum installation: 1 m high, 90° bend, and 1 m horizontal duct. The obtained data reflect the cubic meters that a hood is able to inhale in an hour under these conditions.



Classe énergétique maximale

CATA possède les hottes de classe A+ les plus efficaces du marché. Choisir des appareils CATA A+ signifie l'assurance d'un rendement maximum, d'une consommation minimale d'énergie et de la protection de l'environnement.

Choix de la hotte

Pour pouvoir choisir correctement votre hotte, vous devrez connaître la surface de la cuisine ainsi que sa hauteur. Vous pourrez ainsi déterminer son volume d'air. Pour maintenir une qualité d'air satisfaisante dans la cuisine il est nécessaire de renouveler son air de 6 à 10 fois par heure, aux vitesses minimum et maximum, respectivement.

Par exemple : si la cuisine a une surface de 10 m² et une hauteur de 2,5 m, le volume de la pièce sera de 10m² x 2,5 m = 25 m³ On devra renouveler 25m³ x 6 = 150 m³/h à la vitesse minimum et 25m³ x 10 = 250 m³ /h à la vitesse maximum. En d'autres termes, la hotte doit avoir une capacité d'extraction de 250 m³/h à la vitesse maximum.

Les valeurs de débit publiées dans le catalogue sont conformes aux exigences de la norme **UNE EM 61591** concernant les hottes aspirantes. Elles indiquent la capacité d'extraction réelle en m³/h et la pression en Pa de la hotte mesurée au niveau d'un point de contrôle.

La norme **UNE-EM 61591**, qui prend en compte le diamètre et/ou la section du tube d'extraction, indique que les données doivent être mesurées avec la résistance offerte par la dimension nominale de sortie du diffuseur.

Ainsi, dans les cas qui nous concernent, 5 Pa pour les sorties de Ø15cm., ou 15Pa pour les sorties de Ø12cm.

Pour que cette mesure soit acceptée elle doit être réalisée à l'extrémité de ce que l'on considère comme une installation minimale : un tube vertical de 1 m de hauteur, un tube coudé à 90° et un tube horizontal d'1 m. Les données obtenues seront le volume en mètres cubes qu'une hotte est capable d'aspirer en une heure dans ces conditions.

New Corona Hood

This new Corona hood is the perfect combination of a decorative hood and a wall hood. Thanks to its aluminum profile on the side and its movable visor on the front, you get a great protection for your furniture. It incorporates the

new engine developed by Cata, BT3, offering maximum extraction capacity with 850 m³/h and minimum sound level of 50 dB(A). With an A + energy rating.



Nouvelle hotte « Corona »

Cette nouvelle hotte « Corona » est la combinaison parfaite d'une hotte décorative et d'une hotte encastrable. En raison de son profil en aluminium sur le côté et à sa visière mobile devant, vous obtenez une protection importante de son mobilier. Elle intègre le nouveau moteur développé par Cata, le BT3, fournissant une capacité d'extraction maximale de 850 m³/h et un niveau sonore minimal de 50 dB(A). La classification énergétique est A+.

New TF 7600 X



BLINDED INTERIOR EASY CLEANING
MAXIMUM EXTRACTION POWER 820 m³/h
MINIMUM SOUND LEVEL OF 40 dB(A)

BRUSHLESS MOTOR



SILENCE + POWER: 50dB(A) / 850m³/h
ENERGY CLASSIFICATION A
STAINLESS STEEL FINISH

CONTROL PANEL
ELECTRONIC

5 SPEEDS WITH DIGITAL DISPLAY,
AUTOMATIC DISCONNECT TIMER
AND FILTER CLEANING INDICATOR



LED LIGHTING INTENSITY
ADJUSTABLE



cataC & Can Rocca ISLANDS



MELINA WH ISLAND p22



MELINA SD ISLAND p22



MAGRABA ISLAND p23



MOON ISLAND p23



FARO X ISLAND p24

N

DECORATIVE ISLANDS




FARO ISLAND p24



FENIX 1000 X ISLAND p25



FENIX 1000 WH ISLAND p25



THALASSA ISLAND p26



SELENE ISLAND p26

CORNER HOODS




SYGMA ISLAND p27



GAMMA ISLAND p27




C GLASS ISLAND p28




ANGOLO BOX p28

SILENT SPLIT TECHNOLOGY

ISLA MELINA BK
SILENT SPLIT p32ISLA MELINA WH
SILENT SPLIT p32ISLA SELENE
SILENT SPLIT p32THALASSA BK
SILENT SPLIT p33THALASSA WH
SILENT SPLIT p33


cataC & Can Rocca DECORATIVE HOODS

SYGMA
SILENT SPLIT p33

AURA BK p36



AURA WH p36



ZINNIA p37

DECORATIVE HOODS



THALASSA BK p38



THALASSA WH p38



TITAN BK p39



TITAN WH p39




ATENEA WH p40



ATENEA BK p40



POLAR p40



PODIUM BK p41



PODIUM WH p41



AGATA p41



BIBLOS p42



DIO WH p42



DIO BK p42



AVLAKI BK p43



AVLAKI WH p43



PLANET p43



ADARI WH p44



ADARI BK p44



CERES WH p44



CERES BK p44



CHORUS XWH p45




CHORUS XBK p45



CHORUS XG p45



SELENE p46



S PLUS p47



S p47




MIDAS BK p48




SYGMA p48



SYGMA BK p49




GAMMA p49



ANTARES p50



C GLASS H BK p50



C GLASS H p51



C GLASS p51




CN p52




VN p52

DECORATIVE HOODS



BETA p53



V PLUS p53



OMEGA p54



OMEGA WH p54



OMEGA BK p54



V p54



V WH p54



V BK p54



CLASSICA BK p55



CLASSICA WH p55



Q p55



Q BK p55



NEBLIA p56



NEBLIA BK p56



NEBLIA WH p56



NEBLIA IVORY p56

INSERTS



CORONA p58



GP p58



GC DUAL WH p60



GC DUAL BK p60



GL p61



GT PLUS p61



G45 X p62



G45 WH p62



GTS p62



TELESCOPIC



TF 7600 p63



TF 6000 DURALUM p63



TF 3600 p64



TF 2003 p64



TF 5250 GBK p65



TF 5250 GWH p65



TF p66



TF WH p66



TF BK p66



TF 2003 DURALUM p67



TF E p67

CONVENTIONAL



S GLASS TC p68




F p68




F WH p68



F90 p69



P_1 motor p69-70



P_2 motors p69-70



P 30E SV p70



P 30E WH p70



LFX p71



LF BK p71



LF WH p71





ISLAND HOODS

CATA has a wide range of **island hoods** that adapt perfectly to your kitchen design. The wide model variety available, in terms of measurements, shape and finish, will allow you to find the best solution to meet your needs.

HOTTES ÎLOTS

CATA dispose d'une vaste gamme de **Hottes îlots** qui s'adaptent parfaitement au design de votre cuisine. Grâce à la grande variété de modèles disponibles, tant au niveau des mesures, des formes ou des finitions, vous pourrez trouver la meilleure solution s'adaptant à vos besoins.



ISLA MELINA



MELINA WH ISLAND

Code **02119010**

EAN Code **8422248054591**




MELINA SD ISLAND

Code **02119600**

EAN Code **8422248059336**

- **Touch Control Panel with automatic timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **37 dB(A)** and maximum 59,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Perimeter aspiration system
- Finished in **black glass** and stainless steel and inner panel for easy cleaning
- Robust installation and adjustable height
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter





ISLA MAGRABA




MAGRABA ISLAND

Code 02119207

EAN Code 8422248069342

- **Electronic control** panel with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting**
- Easy-to-install system
- **Recirculation operation**
- **Dishwasher-washable active charcoal filters**
- Finished Stainless steel and white
- Max. Pressure: 400 Pa
- 150/125 mm outlet diameter



ISLA MOON




MOON ISLAND

Code 02119203

EAN Code 8422248062084

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 63dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting, adjustable intensity**
- Easy-to-install system
- **Recirculation operation**
- **Dishwasher-washable active charcoal filters**
- Finished Stainless steel and white glass
- Max. Pressure 400 Pa





ISLA FARO X




FARO X ISLAND

Code **02119101**

EAN Code **8422248074230**

- **Electronic control panel** with automatic shut-down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 65dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter



ISLA FARO




FARO ISLAND

Code **02119308**

EAN Code **8422248062107**

- **Electronic control panel** with automatic shut-down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **48dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter





ISLA FENIX 1000 X




FENIX 1000 X ISLAND

Code 02111303

EAN Code 8422248068239

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator + **remote control**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting, adjustable intensity**
- Finished Stainless steel or white glass
- Max. Pressure: 400 Pa
- 150mm outlet diameter
- **Ceiling installation**



ISLA FENIX 1000 WH




FENIX 1000 XGWH ISLAND

Code 02111000

EAN Code 8422248063036

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator + **remote control**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **48dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **High efficiency LED lighting, adjustable intensity**
- Finished Stainless steel or white glass
- Max. Pressure: 400 Pa
- 150mm outlet diameter
- **Ceiling installation**





ISLA THALASSA




THALASSA ISLAND

Code **02199401**

EAN Code **8422248062114**

- **Touch Control Panel** with timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity Halogen lighting**
- Perimeter aspiration system
- Easy-to-install system
- Dishwasher-washable filters
- Finished Black glass and stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



ISLA SELENE




SELENE ISLAND

Code **02097301**

EAN Code **8422248054874**

- **Touch Control Panel** with timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and mirror glass and **back light logo**
- Max. Pressure: 455 Pa
- 150/125 mm outlet diameter





ISLA SYGMA




SYGMA 900 ISLAND

Code **02197313**

EAN Code **8422248048644**

- **Electronic control panel** with automatic shut down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT3 motor. Extra silent. Maximum energy consumption **280W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel
- Max. Pressure: 470 Pa
- 150/125 mm outlet diameter



ISLA GAMMA




GAMMA ISLAND

Code **02025203**

EAN Code **8422248061698**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter





ISLA C GLASS




C 900 GLASS ISLAND

Code **02025200**

EAN Code **8422248028837**

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished Stainless steel and glass
- Max. Pressure 430 Pa
- 150/125 mm outlet diameter



ANGOLO BOX




ANGOLO BOX

Code **02195307**

EAN Code **8422248062145**

- **Electronic control panel** with automatic shut down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless steel finishing
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



SILENT SPLIT TECHNOLOGY





At CATA we have created the quietest hoods on the market using a system of remote extraction where the motor is located either in the ceiling or in a false ceiling instead of being inside the hood. This reduces noise because the motor is outside the room.



Easy to install

Both the ceiling motor (exterior silent split) system and the false ceiling motor (in-line silent split) system have been designed to be easy to install, even in existing homes with minimal modifications to the established conditions.



In-line solution.
Adaptable to any installation

Cable or wireless connection

The operation and control of the hood are no different to those of a standard hood. Each of the extraction functions is activated from the hood and it communicates with the motor by cable or using a wireless system with a maximum range of 25 meters.

In-line silent split is the completely silent solution with which the hood is installed, without its motor in the cooking area. This extracts smell and smoke from the kitchen while the hood motor is installed behind a false ceiling. The outside motor installation does not mean a loss of flow, reaching extraction levels of 640m³/h.





Chez CATA, nous avons créé les hottes les plus silencieuses du marché avec le système d'extraction distant, où le moteur est installé sur le toit du logement ou dans le faux plafond, plutôt que dans la hotte. Le bruit est ainsi réduit étant donné que le moteur se trouve en dehors de la pièce.

Installation Facile

Qu'il s'agisse des systèmes où le moteur est installé sur le toit (modèles Silent Split Exterior) ou des systèmes avec installation dans le faux plafond (Silent Split In-line), il ont tous été conçus pour que leur installation soit simple, même dans des logements déjà achevés, en modifiant au minimum les conditions existantes.

Exterior silent split is the absolute silent solution with the hood installed, without its motor in the cooking area. It extracts smell and smoke from the kitchen, while the motor is installed in a flue in the ceiling. The outside motor installation reaches high extraction levels of 640m³/h.



The installation of the hood and the motor, and connection between the two of them, is really easy. As can be seen in the pictures, the motor is installed in the flue in 4 simple steps.



Connexion par câble ou sans fil

Le fonctionnement et le contrôle de la hotte ne supposent aucun changement par rapport à une hotte standard. Toutes les fonctions d'extraction sont activées depuis la hotte et la communication avec le moteur est effectuée par câble ou par fréquence radio, avec une portée maximale de 25 mètres.

Silent Split in-line est la solution totalement silencieuse avec laquelle la hotte sans moteur est installée dans la zone de cuisson. Cette dernière extrait les odeurs et la fumée de la cuisine, alors que le moteur de la hotte est installé dans le faux plafond. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des

niveaux d'extraction de 640m³/h.

Silent Split extérieur est la solution totalement silencieuse où la hotte sans moteur est installée dans la zone de cuisson. Elle extrait les odeurs et la fumée de la cuisine, alors que le chapeau incluant le moteur se trouve dans une cheminée sur le toit du logement. L'installation du moteur à l'extérieur n'entraîne pas de perte de débit, et atteint des niveaux d'extraction de 640m³/h.

L'installation de la hotte et du moteur ainsi que la communication entre les deux éléments est vraiment simple. Comme vous pouvez voir sur les images, le moteur est installé dans la conduite d'extraction en 4 étapes simples.



ISLA MELINA SILENT SPLIT



MELINA BK ISLAND, SILENT SPLIT IN-LINE

Code **02119409**

EAN Code **8422248054744**



MELINA BK ISLAND, SILENT SPLIT EXTERIOR

Code **02119408**

EAN Code **8422248054751**



MELINA WH ISLAND, SILENT SPLIT IN-LINE

Code **02119009**

EAN Code **8422248054720**




MELINA WH ISLAND, SILENT SPLIT EXTERIOR

Code **02119008**

EAN Code **8422248054737**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor**. Extra silent motor. Maximum energy consumption 85W
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency or wire connection options**
- Dishwasher-washable filters
- Finished in black/white glass
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter



ISLA SELENE SILENT SPLIT



SELENE ISLAND, SILENT SPLIT IN-LINE

Code **02197009**

EAN Code **8422248054775**




SELENE ISLAND, SILENT SPLIT EXTERIOR

Code **02197008**

EAN Code **8422248054768**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor**. Extra silent motor. Maximum energy consumption 85W
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency or wire connection options**
- Dishwasher-washable filters
- Finished in stainless steel and black glass
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter





THALASSA SILENT SPLIT



THALASSA 900 BK, SILENT SPLIT IN-LINE

Code **02159409**

EAN Code **8422248054713**



THALASSA BK, SILENT SPLIT EXTERIOR

Code **02159410**

EAN Code **8422248054690**



THALASSA WH, SILENT SPLIT IN-LINE

Code **02159009**

EAN Code **8422248054706**




THALASSA WH, SILENT SPLIT EXTERIOR

Code **02159010**

EAN Code **8422248054683**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor.** Extra silent motor. Maximum energy consumption **85W**
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency or wire connection options**
- Dishwasher-washable filters
- Finished in black glass
- **Black/white tubes accessory option**
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter



SYGMA SILENT SPLIT



SYGMA, SILENT SPLIT IN-LINE

Code **02175010**

EAN Code **8422248054676**




SYGMA, SILENT SPLIT EXTERIOR

Code **02175310**

EAN Code **8422248043878**



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **910m³/h**
- Minimum sound power: **35dB(A)**, maximum: 42dB(A)
- **SMT 200 remote extraction motor.** Extra silent motor. Maximum energy consumption 85W
- **High efficiency Led lighting, adjustable intensity**
- **Radio frequency or wire connection options**
- Dishwasher-washable filters
- Finished in stainless steel DurAlum fingerprint free
- Max. Pressure 225 Pa
- 150/200 mm outlet diameter







DECORATIVE HOODS

In the wide range of decorative **CATA** hoods you will find different models with the most painstaking designs and best performance on the market. We are convinced users will be able to find the best suited hood to their needs in terms of design, performance and esthetics. We offer you everything necessary to make your hood an item with an excellent presence in your kitchen.

HOTTES DÉCORATIVES

Dans la vaste gamme de hottes décoratives **CATA**, vous trouverez des modèles variés avec les formes les plus soignées et les meilleures prestations du marché. Nous sommes persuadés que tous les utilisateurs pourront trouver la hotte s'adaptant le mieux à leurs besoins aussi bien en termes de conception, de rendement que d'esthétique. Nous vous offrons tout ce dont vous avez besoin pour que votre hotte soit un élément avec beaucoup de présence dans votre cuisine.

★ ★ ★
BEST
restaurant
IN THE WORLD
2013 y 2015



Opening Positions



Auxiliary filter anti-condensation direct suction



AURA



AURA BK 900

Code 02159203

EAN Code 8422248059282

AURA BK 800

Code 02145200

EAN Code 8422248059275



AURA WH 900

Code 02159205


EAN Code 8422248059299

AURA SD 900

Code 02159601

EAN Code 8422248059305

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **39 dB(A)** and maximum 61,3 dB(A)
- **BRUSHLESS** motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Perimeter aspiration system, **Non-condensation** filter at bottom
- Easy-to-install system
- Dishwasher-washable filters
- Finished in **black, white and colour sand glass** and stainless steel and inner panel for easy cleaning
- Front panel with **3 opening systems**
- **Shielded panel**
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter



Accessories

Black decorative tube - Code 02861401

White decorative tube - Code 02861001

★ ★ ★
BEST
restaurant
IN THE WORLD
2013 y 2015



Shielded panel

ZINNIA




ZINNIA

Code 02175410


EAN Code 8422248051507

- **Touch Control Panel with automatic shut-down timer and cleaning filters indicator**
- **10 extraction levels, 9 + 1 TURBO**
- Maximum air flow: **1110m³/h**
- **Extra silent mode:** minimum sound power **39 dB(A)** and maximum 61,3 dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **100W**
- **High efficiency Led lighting, adjustable intensity**
- Large suction surface
- **Shielded panel**
- Easy-to-install system
- MAX panelled stainless steel filters dishwasher washable
- Finished in **black glass** and stainless steel and inner panel for easy cleaning
- Max. Pressure: 375 Pa
- 150/125 mm outlet diameter





THALASSA BK



THALASSA 900XGBK

Code 02159403 - EAN Code 8422248073813

THALASSA 700XGBK

Code 02178205 - EAN Code 8422248073882


THALASSA 600XGBK

Code 02127209 - EAN Code 8422248073868

THALASSA 1200XGBK

Code 02157403 - EAN Code 8422248073790

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- **1st speed silent mode**
- Minimum sound power: **40dB(A)**, maximum: 64dB(A)
- **BRUSHLESS** motor. Ultra silent.
Maximum energy consumption **130W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter**
- Dishwasher-washable filters
- Black glass finishing
- Max. Pressure: 455 Pa - Pressure TURBO: 470 Pa
- 150/125 mm outlet diameter



THALASSA WH



THALASSA 900XGWH

Code 02159003 - EAN Code 8422248073806


THALASSA 700XGWH

Code 02178005 - EAN Code 8422248073875

THALASSA 600XGWH

Code 02127009 - EAN Code 8422248073851

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- **1st speed silent mode**
- Minimum sound power: **40dB(A)**, maximum: 64dB(A)
- **BRUSHLESS** motor. Ultra silent.
Maximum energy consumption **130W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter**
- Dishwasher-washable filters
- White glass finishing
- Max. Pressure: 455 Pa - Pressure TURBO: 470 Pa
- 150/125 mm outlet diameter





TITAN WH

**TITAN 900XGWH**

Code 02059001


EAN Code 8422248061711

TITAN 600XGWH

Code 02027011

EAN Code 8422248063166

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- **1st speed silent mode**
- Minimum sound power: **40dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **130W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter**
- Dishwasher-washable filters
- White glass finishing
- Max. Pressure: 455 Pa - Pressure TURBO: 470 Pa
- 150/125 mm outlet diameter



TITAN BK

**TITAN 900XGBK**

Code 02059201


EAN Code 8422248061704

TITAN 600XGBK

Code 02027206

EAN Code 8422248063159

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 5 extraction levels, 4 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- **1st speed silent mode**
- Minimum sound power: **40dB(A)**, maximum: 64dB(A)
- BRUSHLESS motor. Ultra silent. Maximum energy consumption **130W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- **Non-condensation filter**
- Dishwasher-washable filters
- Black glass finishing
- Max. Pressure: 455 Pa - Pressure TURBO: 470 Pa
- 150/125 mm outlet diameter





ATENEA



ATENEA 900XGWH

Code **02059002** - EAN Code **8422248066839**

ATENEA 700XGWH

Code **02078001** - EAN Code **8422248066846**

ATENEA 600XGWH

Code **02027100** - EAN Code **8422248068338**

ATENEA 900XGBK

Code **02059203** - EAN Code **8422248068321**


ATENEA 700XGBK

Code **02078201** - EAN Code **8422248066822**

ATENEA 600XGBK

Code **02027500** - EAN Code **8422248066815**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Ultra silent. Maximum energy consumption **240W**
- **High efficiency Led lighting, adjustable intensity**
- **Special non-condensation filter**
- Easy-to-install system
- Dishwasher-washable filters
- Finished white and black glass
- Max. Pressure: 405 Pa
- 150/125 mm Outlet diameter



POLAR



POLAR 900GBK

Code **02169401**


EAN Code **8422248070423**

POLAR 600GBK

Code **02166401**

EAN Code **8422248070430**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished black glass
- Max. Pressure 430 Pa
- 150/125 mm Outlet diameter





PODIUM

**PODIUM 600XGBK**

Code 02027406 - EAN Code 8422248054867

PODIUM 500XGBK

Code 02027405 - EAN Code 8422248054850


PODIUM 600XGWH

Code 02027006 - EAN Code 8422248054843

PODIUM 500XGWH

Code 02027005 - EAN Code 8422248054836

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Maximum energy consumption **140W**
- Extra silent motor
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter




AGATA

**AGATA 600 GBK**

Code 02027408



EAN Code 8422248069397

- **Touch Control Panel ECO TC** with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound level: **53dB(A)**, maximum: 65dB(A)
- K7+ motor. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black glass
- Max. Pressure: 200 Pa
- 150/125 mm outlet diameter




**BIBLOS 600 GBK**Code **02027403**EAN Code **8422248069373**

- **Mechanic control panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound level: **53dB(A)**, maximum: 65dB(A)
- K7+ motor. Extra silent.
Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black glass
- Max. Pressure: 200 Pa
- 150/125 mm outlet diameter

**DIO 600 GBK**Code **02059205**EAN Code **8422248069410****DIO 600 GWH**Code **02059003**EAN Code **8422248069427**

- **Touch Control Panel ECO TC with automatic shut-down timer**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound level: **53dB(A)**, maximum: 65dB(A)
- K7+ motor. Extra silent.
Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white or back glass
- Max. Pressure: 200 Pa
- 150/125 mm outlet diameter



**AVLAKI 600 XGBK**

Code 02032301


EAN Code 8422248069434

AVLAKI 600 XGWH

Code 02032001

EAN Code 8422248069441


- **Touch Control Panel ECO TC with automatic shut-down timer**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound level: **53dB(A)**, maximum: 65dB(A)
- K7+ motor. Extra silent.
Maximum energy consumption **95W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless-steel and white/black glass
- Max. Pressure: 200 Pa
- 150/125 mm outlet diameter

**PLANET BK****PLANET 600XGBK**

Code 02027201

EAN Code 8422248058797

- **Touch control panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Extra silent motor. Maximum energy consumption **140W**
- Extra silent motor
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter





ADARI

**ADARI 600XGBK**

Code 02027207


EAN Code 8422248058162

ADARI 600XGWH

Code 02027007

EAN Code 8422248058179

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Extra silent. Maximum energy consumption **140W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in white or black glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter



CERES

**CERES 900XGWH**

Code 02059000 - EAN Code 8422248052047

CERES 600XGWH

Code 02027003 - EAN Code 8422248052030


CERES 900XGBK

Code 02059200 - EAN Code 8422248051644

CERES 600XGBK

Code 02027200 - EAN Code 8422248051620

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1000m³/h**
- Minimum sound power: **53dB(A)**, maximum: 63dB(A)
- TN motor. Extra silent. Maximum energy consumption **140W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel and black/white glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter





CHORUS XWH / XBK



CHORUS XWH

Code 02165000

EAN Code 8422248070317

CHORUS XBK


Code 02165201

EAN Code 8422248055529

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter

MICROWAVE FEATURES

- 20 litre microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- Finished in Black and white glass
- 60cm wide
- Inner measurements 182 x 315 x 280 mm (high x wide x deep)



CHORUS GX



CHORUS GXG


Code 02165202

EAN Code 8422248070492

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter

MICROWAVE FEATURES

- 20 litre microwave
- Simultaneous 1,000 W quartz grill
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- Finished in Mirror effect
- 60cm wide
- Inner measurements 182 x 315 x 280 mm (high x wide x deep)



DECORATIVES



SELENE



SELENE 900

Code 02029200

EAN Code 8422248048095

SELENE 700

Code 02021200


EAN Code 8422248064941

SELENE 600

Code 02060201

EAN Code 8422248049603

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel and mirror glass and backlight logo
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter





S PLUS



S PLUS 900 X

Code 02029303

EAN Code 8422248068062

S PLUS 700 X

Code 02021305


EAN Code 8422248068116

S PLUS 600 X

Code 02060306

EAN Code 8422248068123

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 430 Pa
- 150/125 mm Outlet diameter



S



S 900

Code 02029302

EAN Code 8422248048170

S 700

Code 02021302


EAN Code 8422248048187

S 600

Code 02060302

EAN Code 8422248048194

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure 200 Pa
- 150/125 mm Outlet diameter






MIDAS

**MIDAS 900 XGBK**Code **02029201**EAN Code **8422248049535****MIDAS 700 XGBK**Code **02021201**EAN Code **8422248065023****MIDAS 600 XGBK**Code **02060200**EAN Code **8422248049542**


- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- K 7PLUS motor, maximum energy consumption **95W**
- Extra silent motor
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel and black glass
- Max. pressure 200 Pa
- 150/125 mm outlet diameter



SYGMA

**SYGMA 900**Code **02075300**EAN Code **8422248048309****SYGMA 700**Code **02021301**EAN Code **8422248048316****SYGMA 600**Code **02060301**EAN Code **8422248048323**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter






SYGMA BK

**SYGMA 900 BK**Code **02075400**EAN Code **8422248068079**


- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



GAMMA

**GAMMA 900**Code **02008208**EAN Code **8422248048293****GAMMA 700**Code **02006203**EAN Code **8422248048330****GAMMA 600**Code **02005205**EAN Code **8422248049412**

- **Electronic control Panel** with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption 240W
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel and glass
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter





ANTARES



ANTARES 900 XBK

Code 02059202

EAN Code 8422248063180

ANTARES 600 XBK

Code 02005403


EAN Code 8422248063135

ANTARES 600 ABK

Code 02005402

EAN Code 8422248063128

- **Touch Control Panel with automatic shut-down timer**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black glass and stainless steel or full black
- Max. Pressure 200 Pa
- 150/125 mm Outlet diameter



C GLASS H BK



C GLASS H BLACK 900

Code 02008401


EAN Code 8422248020534

C GLASS H BLACK 600

Code 02005401

EAN Code 8422248020473

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in black and glass
- Max. pressure 430 Pa
- 150/125 mm outlet diameter





C GLASS H

**C GLASS H 900**

Code 02008201


EAN Code 8422248020541

C GLASS H 600

Code 02005201

EAN Code 8422248020480

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **56dB(A)**, maximum: 70dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in stainless steel and glass
- Max. pressure 430 Pa
- 150/125 mm outlet diameter



C GLASS

**C GLASS 900**

Code 02008206 - EAN Code 8422248048132

C GLASS 700

Code 02006206 - EAN Code 8422248048125


C GLASS 600

Code 02005208 - EAN Code 8422248054072

C GLASS 500

Code 02006208 - EAN Code 8422248054089

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **50dB(A)**, maximum: 62dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, black and glass
- Max. Pressure 200 Pa
- 150/125 mm Outlet diameter





CN




CN-600 GLASS

Code 02005209

EAN Code 8422248054829

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **370m³/h**
- Minimum sound level: **50dB(A)**, maximum: 62dB(A)
- Motor K7. Extra silent. Maximum energy consumption **80W**
- **Lamp lighting**
- Easy installation system
- Washable filters Dishwasher
- Finished in stainless steel and glass
- Max. pressure 160 Pa
- 125 mm discharge



VN



VN-600 inox

Code 02061305 - EAN Code 8422248054645


VN-600 WH

Code 02061005 - EAN Code 8422248068383

VN-500 WH

Code 02088002 - EAN Code 8422248068802

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **370m³/h**
- Minimum sound power: **54dB(A)**, maximum: 66dB(A)
- K7 motor. Extra silent motor. Maximum energy consumption **80W**
- **Lamp lighting**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 160 Pa
- 125 mm outlet diameter






BETA

**BETA 900**Code **02051302**EAN Code **8422248048361****BETA 700**Code **02093302**EAN Code **8422248048378****BETA 700**Code **02050303**EAN Code **8422248048385**


- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **52dB(A)**, maximum: 69dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter



V PLUS

**V PLUS**Code **02058302**EAN Code **8422248061810**

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 405 Pa
- 150/125 mm outlet diameter





OMEGA

**OMEGA 900**

Code 02004302 - EAN Code 8422248061858

OMEGA 700

Code 02003302 - EAN Code 8422248061865

OMEGA 600

Code 02002302 - EAN Code 8422248061872

OMEGA 900 WH

Code 02004002 - EAN Code 8422248061889

OMEGA 700 WH

Code 02003002 - EAN Code 8422248061896

OMEGA 600 WH

Code 02002002 - EAN Code 8422248061667

OMEGA 900 BK

Code 02004402 - EAN Code 8422248061902

OMEGA 600 BK


Code 02002402 - EAN Code 8422248061919

- **Mechanical Control Panel**

- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57'8dB(A)**, maximum: 71'8dB(A)
- Motor M3R. Extra silent. Maximum energy consumption 270W

- **Halogen Lighting**

- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, black and white
- Max. Pressure 430 Pa
- 150/125 mm outlet diameter



V

**V 900**

Code 02063302 - EAN Code 8422248047173

V 700

Code 02085302 - EAN Code 8422248047180

V 600

Code 02061302 - EAN Code 8422248047166

V 500

Code 02088301 - EAN Code 8422248049290

V 600 WH

Code 02061002 - EAN Code 8422248048071

V 500 WH

Code 02088001 - EAN Code 8422248049283

V 600 BK


Code 02061401 - EAN Code 8422248049429

- **Mechanical Control Panel**

- 3 extraction levels
- Maximum air flow: **620m³/h**
- Minimum sound power: **53dB(A)**, maximum: 65dB(A)
- Motor K7 PLUS. Extra silent. Maximum energy consumption **95W**

- **Halogen Lighting E-14**

- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, black and white
- Max. Pressure 200 Pa
- 150/125 mm outlet diameter





CLASICA

**CLASICA 900 BK**

Code 02177405 - EAN Code 8422248031295

CLASICA 600 BK

Code 02173403 - EAN Code 8422248031301


CLASICA 900 WH

Code 02177005 - EAN Code 8422248032957

CLASICA 600 WH

Code 02173002 - EAN Code 8422248052054

- **Electronic control Panel** with automatic shut down timer
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8 dB(A)**, maximum: 71,8 dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **240W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black / white
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter



Q

**Q 900**

Code 02149301 - EAN Code 8422248005470

Q 600

Code 02148301 - EAN Code 8422248005449


Q 900 BK

Code 02149401 - EAN Code 8422248005487

Q 600 BK

Code 02148401 - EAN Code 8422248005456

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8 dB(A)**, maximum: 71,8 dB(A)
- Motor M3R. Extra silent. Maximum energy consumption **240W**
- **Halogen Lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless Steel / black
- Max. Pressure: 430 Pa
- 150/125 mm outlet diameter





NEBLIA X


**NEBLIA 600 X**

Code 02052300 - EAN Code 8422248017602

NEBLIA 500 X

Code 02088310 - EAN Code 8422248039024

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8dB(A)**, maximum: 71,8dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- **Halogen lighting E-14**
- Easy installation system
- Dishwasher-washable filters
- Finished in stainless steel
- Max. pressure 430 Pa
- 150/125 mm outlet diameter



NEBLIA

**NEBLIA 600 BK**

Code 02052400 - EAN Code 8422248017619

NEBLIA 600 ANTIC BK

Code 02052401 - EAN Code 8422248042109

NEBLIA 600 WH

Code 02052000 - EAN Code 8422248017596


NEBLIA 500 WH

Code 02088010 - EAN Code 8422248039031

NEBLIA 600 IVORY

Code 02052803 - EAN Code 8422248059824

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum sound power: **57,8dB(A)**, maximum: 71,8dB(A)
- M3R motor. Extra silent. Maximum energy consumption **270W**
- Extra silent motor
- **Halogen lighting E-14**
- Easy installation system
- Dishwasher-washable filters
- Finished in black / white and ivory
- Max. pressure 430 Pa
- 150/125 mm outlet diameter





BUILT-IN HOODS

The ideal hood to install in your kitchen cabinet thanks to its easy installation, high capacity of extraction, with a variety of shapes and finishes of high quality.

HOTTES ENCASTRABLES

La hotte idéale pour installer dans vos armoires de cuisine grâce à sa facilité d'installation, avec une haute capacité d'extraction, avec variété de formes et finitions de haute qualité.



CORONA




CORONA 90

Code **02189200**

EAN Code **8422248075411**

- **Electronic Control Panel** with digital display automatic shut-down timer
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 65dB(A)
- BT3 motor. Ultra silent. Maximum energy consumption **280W**
- **High efficiency lighting with adjustable LED strip**
- Easy-to-install system
- Fully stainless steel washable dishwasher filters
- **Crystal Visor**
- Stainless steel finishing
- Max. Pressure: 450 Pa - Pressure TURBO: 470 Pa
- 150/125 mm outlet diameter



GP



GP 75 X

Code **02131303**


EAN Code **8422248075190**

GP 45 X

Code **02130303**

EAN Code **8422248075206**

- **Electronic Control Panel** with digital display automatic shut-down timer and cleaning filters indicator
- 3 extraction levels, 2 + **1 TURBO**
- Maximum air flow: **1200m³/h**
- **1st speed silent mode**
- Minimum sound power: **50dB(A)**, maximum: 65dB(A)
- BT2 motor. Ultra silent. Maximum energy consumption **240W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Stainless steel finishing
- Max. Pressure: 400 Pa - Pressure TURBO: 405 Pa
- 150/125 mm outlet diameter







GC DUAL WH



GC DUAL WH 45

Code **02130201**

EAN Code **8422248055673**

GC DUAL WH 75

Code **02131201**

EAN Code **8422248055680**



GC DUAL BK



GC DUAL BK 45

Code **02130200**


EAN Code **8422248054614**

GC DUAL BK 75


Code **02131200**

EAN Code **8422248054621**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- **Perimeter perimeter suction system**
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in White glass and stainless steel
- Max. Pressure: 455 Pa
- 150/125 mm outlet diameter



- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- **Perimeter perimeter suction system**
- 3 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black glass and stainless steel
- Max. Pressure: 455 Pa
- 150/125 mm outlet diameter





GL



GL 75 X

Code **02131302**

EAN Code **8422248062381**

GL 45 X

Code **02030303**

EAN Code **8422248061926**

GT PLUS



GT PLUS 45 X

Code **02030301**

EAN Code **8422248054942**

GT PLUS 45 WH

Code **02030001**

EAN Code **8422248054928**



GT PLUS 45 BK

Code **02030401**

EAN Code **8422248054935**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 4 extraction levels, 3 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency Led lighting, adjustable intensity**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel
- Max. Pressure: 400 Pa - Pressure TURBO: 405 Pa
- 150/125 mm Outlet diameter

- **Mechanical Control Panel**
- 3 extraction levels
- Maximum air flow: **1115m³/h**
- Minimum sound power: **50dB(A)**, maximum: 65dB(A)
- BT2 motor. Extra silent. Maximum energy consumption **200W**
- **Halogen Lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Stainless steel, white or black
- Max. Pressure: 400 Pa
- 150/125 mm Outlet diameter






G45

**G 45 X**Code **02039301**EAN Code **8422248015349****G 45 WH**Code **02039001**EAN Code **8422248015356**


- **Slider Control Panel**
- 2 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **45,5 dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **Halogen Lighting E-14**
- Easy-to-install system.
- Dishwasher-washable filters
- Finished in Stainless Steel or white
- Max pressure. 194 Pa
- 120 mm Outlet diameter
- Energy Class: D



GTS

**GTS 75 X**Code **02131349**EAN Code **8422248070256****GTS 45 X**Code **02130349**EAN Code **8422248070249**

- **Slider Control panel**
- 3 extraction levels
- Maximum air flow: **1150m³/h**
- Minimum noise level: **56 dB(A)**, maximum: 70dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **270W**
- **Halogen Lighting**
- Easy-to-install system.
- Dishwasher-washable filters
- Finished in Stainless Steel
- Max pressure. 430 Pa
- Outlet diameter 150 mm





TF 7600



TF 7600 GWH

Code **02010203**


EAN Code **8422248061940**

TF 7600 X

Code **02010305**

EAN Code **8422248069588**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator (**TF 7600 GWH**)
- **Electronic Control Panel** with digital display automatic shut-down timer and cleaning filters indicator (**TF 7600 X**)
- 5 extraction levels, 4 + 1 **TURBO**
- Maximum air flow: **1200m³/h**
- Minimum sound power: **40dB(A)**, maximum: 64dB(A)
- **BRUSHLESS** motor. Extra silent. Maximum energy consumption **130W**
- **High efficiency Led lighting, adjustable intensity**
- **Easy-to-clean inner panel**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white glass (TF 7600 GWH) or stainless steel (TF 7600 X)**
- Max. Pressure: 455 Pa - Pressure **TURBO**: 470 Pa
- 150/125 mm Outlet diameter



TF 6000 DURALUM



TF 6600 DURALUM 60

Code **02010202**

EAN Code **8422248061933**

TF 6700 DURALUM

Code **02010206**


EAN Code **8422248064347**

TF 6900 DURALUM

Code **02010205**

EAN Code **8422248063043**

- **Mechanical Control Panel**
- 2 extraction levels
- Maximum air flow: **1200m³/h**
- Minimum sound power: **50dB(A)**, maximum: 67dB(A)
- **BT2** motor. Extra silent. Maximum energy consumption **240W**
- **High efficiency LED lighting**
- **Easy-to-clean inner panel**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in Stainless steel fingerprint free DurAlum**
- Max. Pressure: 405 Pa
- 150/125 mm Outlet diameter





TF 3600



TF 3600 BK

Code **02017402**


EAN Code **8422248053938**

TF 3600 WH

Code **02017002**

EAN Code **8422248053921**

- **Touch Control Panel** with automatic shut-down timer and cleaning filters indicator
- 3 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **66dB(A)**, maximum: 60dB(A)
- 2 motors. Extra silent. Maximum energy consumption **2x125W**
- **Adjustable intensity halogen lighting**
- Easy-to-install system
- Dishwasher-washable filters
- Finished in Black/white glass front panel
- Max. pressure 285 Pa
- 120 mm outlet diameter



TF 2003 G



TF 2003 GWH

Code **02017201**


EAN Code **8422248051583**

TF 2003 GBK

Code **02017200**

EAN Code **8422248048200**

- **Mechanical control panel**
- 2 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **45,5 dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- **Halogen lighting**
- **Easy-to-clean inner panel**
- Easy installation system
- Dishwasher-washable filters
- **White/black glass front panel**
- Max. pressure 194 Pa
- 120mm outlet diameter





TF GBK/GWH_2motors



TF 5260 GBK, 2 motors x 95W

Code **02034407** - EAN Code **8422248068833**

TF 5260 GWH, 2 motors x 95W

Code **02034007** - EAN Code **8422248068840**


TF 5250 GWH, 2 motors x 125W

Code **02097001** - EAN Code **8422248054881**

TF 5250 GBK, 2 motors x 125W

Code **02097401** - EAN Code **8422248054898**

- **Sliding Control Panel**
- 3 extraction levels
- **2x125W motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **60dB(A)**, maximum: 66dB(A)
 - Max. pressure 285 Pa
- **2x95W motor**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Max. pressure 231 Pa
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white/black glass front panel**
- 120mm outlet diameter
- Energy Class: E



TF GBK/GWH_1motor




TF 5060 GWH, 1 motor

Code **02033009** - EAN Code **8422248068857**

TF 5060 GBK, 1 motor

Code **02033403** - EAN Code **8422248068864**

- **Sliding Control Panel**
- 3 extraction levels
- Maximum air flow: **350m³/h**
- Minimum sound power: **51dB(A)**, maximum: 65dB(A)
- Maximum energy consumption **125W**
- Max. pressure 205 Pa
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white/black glass front panel**
- 120mm outlet diameter
- Energy Class: D





TF_2motors



TF 5260 X, 2x95W motors

Code **02034305** - EAN Code **8422248003377**

TF 5260 WH, 2x95W motors

Code **02034005** - EAN Code **8422248003346**

TF 5260 BK, 2x95W motors

Code **02034405** - EAN Code **8422248003360**

TF 5260 RX, 2x95W motors

Code **02034308** - EAN Code **8422248064354**

TF 5250 X, 2x125W motors

Code **02097300** - EAN Code **8422248024488**


TF 5250 WH, 2x125W motors

Code **02097000** - EAN Code **8422248024471**

TF 5250 RX, 2x125W motors

Code **02097303** - EAN Code **8422248643780**

- **Sliding Control Panel**
- 3 extraction levels
- **2x95W motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Max. pressure 231 Pa
- **2x125W motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **60dB(A)**, maximum: 66dB(A)
 - Max. pressure 285 Pa
- **Halogen lighting E-14 (2 lamps)**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in black, white or stainless steel**
- 120mm outlet diameter



TF_1motor



TF 5060 X, 1 motor

Code **02033303** - EAN Code **8422248009515**


TF 5060 WH, 1 motor

Code **02033003** - EAN Code **8422248006767**

TF 5060 RX, 1 motor

Code **02033305** - EAN Code **8422248064361**

- **Sliding Control Panel**
- 3 extraction levels
- **1x125W motors (model 5250)**
 - Maximum air flow: **350m³/h**
 - Minimum sound power: **51dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption **2x125W**
 - Max. pressure 205 Pa
- **Halogen lighting E-14 (1 lamp)**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white or stainless steel**
- 120mm outlet diameter






TF 2003 DURALUM

**TF 2003 DURALUM 90**Code **02094303**EAN Code **8422248052702****TF 2003 DURALUM 70**Code **02089303**EAN Code **8422248052696****TF 2003 DURALUM 60**Code **02017303**EAN Code **8422248052689**


- Mechanical control panel
- 2 extraction levels
- Maximum air flow: **600m³/h**
- Minimum sound power: **45,5 dB(A)**, maximum: 57dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **100W**
- Halogen lighting
- Easy-to-clean inner panel
- Easy installation system
- Dishwasher-washable filters
- **Stainless steel finishing fingerprint free DurAlum**
- Max. pressure 194 Pa
- 120mm outlet diameter



TF E

**TF 5060 EWH**Code **02033008**EAN Code **8422248068291****TF 5060 EX**Code **02033308**EAN Code **8422248068284**

- Mechanical control panel
- 2 extraction levels
- Maximum air flow: **380m³/h**
- Minimum sound power: **54 dB(A)**, maximum: 60dB(A)
- Tangential motor. Extra silent. Maximum energy consumption **95W**
- Halogen lighting E-14
- Easy-to-clean inner panel
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in white or stainless steel**
- Max. pressure 179 Pa
- 120mm outlet diameter






S GLASS TC

**S GLASS TC**Code **02001303**EAN Code **8422248074254**


- **Touch Control Panel** with automatic shut-down timer
- 3 extraction levels
- Maximum air flow: **350m³/h**
- Minimum sound power: **48dB(A)**, maximum: 60dB(A)
- Tangential Motor. Extra silent. Maximum energy consumption **55W**
- **High efficiency LED lighting**
- Easy-to-install system
- Dishwasher-washable filters
- **Finished in White glass**
- Max. Pressure: 170 Pa
- 120 mm outlet diameter



F

**F 2260 X, 2 motors**Code **02013305** - EAN Code **8422248049085****F 2260 WH, 2 motors**Code **02013005** - EAN Code **8422248049078****F 2260 BR, 2 motors**Code **02013105** - EAN Code **8422248049269****F 2060 X, 1 motor**Code **02011306** - EAN Code **8422248048064****F 2060 WH, 1 motor**Code **02011006** - EAN Code **8422248048057**

- **Mechanical Control Panel**
- 3 extraction levels
- **2 motors**
 - Maximum air flow: **600m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption: 2x**95W**
 - Max. Pressure 231 Pa
- **1 motor**
 - Maximum air flow: **380m³/h**
 - Minimum sound power: **54dB(A)**, maximum: 60dB(A)
 - Maximum consumption of: 1x**95W**
 - Max. Pressure 179Pa
- **Halogen lighting E-14**
(2 lamps, 2 motors model / 1 lamp, 1 motor model)
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finished in Stainless steel, white or brown
- 120 mm outlet diameter
- Energy Class: D (1 motor model)
- Energy Class: F (2 motors model)






F 90

**F 2290 X**, 2 motorsCode **02014302** - EAN Code **8422248168946**


- **Sliding control panel**
- 3 extraction levels
- **2 motors**
 - Maximum air flow: **380m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - Maximum energy consumption: 2x125W
 - Max. Pressure 179 Pa
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finished in Stainless steel
- 120 mm outlet diameter



P_1motor

**P 3060 X**Code **02028305** - EAN Code **8422248058773****P 3050 X**Code **02096301** - EAN Code **8422248058827****P 3060 BK**Code **02028405** - EAN Code **8422248058803****P 3060 WH**Code **02028005** - EAN Code **8422248058766****P 3050 WH**Code **02096001** - EAN Code **8422248058810****P 3050 BK**Code **02096401** - EAN Code **8422248058834**

- **Mechanical control panel**
- 3 extraction levels
- Maximum air flow: **350m³/h**
- Minimum sound power: **50dB(A)**, maximum: 60dB(A)
- maximum energy consumption 1x70W
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable cassette filters (**X models**)
- Dishwasher-washable aluminium mesh (**WH/BK models**)
- Finished in stainless steel, white or black
- Max. pressure 160 Pa
- 120mm outlet diameter





P_2motors



P 3290 X (2 motors x 125W)

Code **02027302** - EAN Code **8422248007030**

P 3260 X (2 motors x 70W)

Code **02026303** - EAN Code **8422248064415**

P 3260 BK (2 motors x 125W)

Code **02026405** - EAN Code **8422248064422**


P 3260 WH (2 motors x 125W)

Code **02026003** - EAN Code **8422248064439**

P 3260 BR (2 motors x 125W)

Code **02026102** - EAN Code **8422248064446**

- **Mechanical control panel**
- 3 extraction levels
- **2 motors x 125W**
 - Maximum air flow: **380m³/h**
 - Minimum sound power: **59dB(A)**, maximum: 65dB(A)
 - maximum energy consumption **2x125W**
 - Max. pressure 179Pa
- **2 motors x 70W**
 - Maximum air flow: **500m³/h**
 - Minimum sound power: 57dB(A), maximum: 63dB(A)
 - maximum energy consumption **2x70W**
 - Max. pressure 210 Pa
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable cassette filters (**X model 60cm**)
- Dishwasher-washable aluminium mesh (**WH/BK/BR/90cm models**)
- Finished in stainless steel, white, black or brown
- 120mm outlet diameter



P 30E



P 3060 ESV

Code **02028601** - EAN Code **8422248068871**

P 3060 EWH

Code **02028006** - EAN Code **8422248068888**


P 3050 ESV

Code **02096601** - EAN Code **8422248068895**

P 3050 EWH

Code **02096002** - EAN Code **8422248068901**

- **Mechanical Control Panel**
- 2 extraction levels
- Maximum air flow: **350m³/h**
- Minimum sound power: **50dB(A)**, maximum: 60dB(A)
- Maximum consumption of: **1x70W**
- **Halogen lighting E-14**
- Easy-to-install system
- ACRYLIC filters
- Finished in White and silver
- Max. Pressure 160Pa
- 120 mm outlet diameter
- Energy Class: C





LF 2060 X

Code **02011307** - EAN Code **8422248064651**

- Sliding control panel
- 3 extraction levels
- Maximum air flow: **350m³/h**
- Minimum sound power: **48dB(A)**, maximum: 60dB(A)
- maximum energy consumption 1x55W
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable aluminium mesh
- Finished in stainless steel
- Max. pressure 170 Pa
- 120mm outlet diameter





LF 2060 WH

Code **02011007** - EAN Code **8422248064637**

LF 2060 BK

Code **02011407** - EAN Code **8422248064668**

- Sliding control panel
- 3 extraction levels
- Maximum air flow: **350m³/h**
- Minimum sound power: **48dB(A)**, maximum: 60dB(A)
- maximum energy consumption 1x55W
- **Halogen lighting E-14**
- Easy-to-install system
- Dishwasher-washable cassette filters (**X models**)
- Dishwasher-washable aluminium mesh (**WH/BK models**)
- Finished in black or white
- Max. pressure 170 Pa
- 120mm outlet diameter







Ovens and Microwaves

CATA ovens are made with the most advanced technology and the latest components, achieving high-quality products that will give you pleasure in the art of cooking. They stand out because of their design, innovation, energy efficiency and maximum safety providing elegance and exclusiveness. The range of models includes ovens with large interior capacities, pyrolytic ovens and ovens with the new AquaSmart water cleaning system.

Fours et Micro-ondes

Les fours **CATA** sont fabriqués avec des technologies de pointe et des composants de la dernière génération. **CATA** propose ainsi des produits d'excellente qualité grâce auxquels vous prendrez plaisir à l'art de cuisiner. Ils se distinguent de par leur conception, leur innovation, leur efficacité énergétique et la sécurité maximale qu'ils proposent. Ils fournissent élégance et exclusivité. Dans la vaste gamme des modèles que nous proposons, vous trouverez des fours de grande capacité, des fours à pyrolyse ou des fours équipés du nouveau système de nettoyage par eau AquaSmart.

CATA ovens

Maximum harmony with maximum efficiency

Softclose closing

The new Softclose closing, included in several models, makes the closing of the door silent and comfortable. This new system performs a door closing slowly and quietly avoiding annoying bumps.



New controls

The new CATA ovens controls offer a great aesthetic finish in each and every one of the models in the range. They stand out with screen and controls concealable, achieving a minimalist design.



Turbo Plus or 3D hot air

Rear circular resistor which is associated with the internal fan. With this feature we get a uniform distribution of heat resistor throughout the cavity. It is very useful for gentle cooking for food like fish and vegetables as well as for cakes and pastries.







Function **aQuaSmart®**

A system that facilitates the cleaning of the oven by using water steam.


Automatic AquaSmart:




- Remove all accessories and side guides according to the model.



- Spray 200 ml of water on the inside walls of the oven.




- Select the AquaSmart function.




- Remove the water from the interior and with the aid of a cloth, remove the remaining dirt.

Manual AquaSmart:


Its duration is 35 minutes and is done as follows.




- Remove all accessories and side guides according to the model.




- Spray 200 ml of water on the inside walls of the oven.



- Select the Aquasmart function and the temperature of 150 °C for 10 minutes.



- After that time, select the temperature to a minimum and hold it for 25 minutes.



- Remove the water from the interior and with the aid of a cloth, remove the remaining dirt.

Seamless integration column: **Microwave + Oven**

The **CATA** ovens achieve integration and complete symmetry in combination with microwave column. Thanks to the care and use of high quality materials design, you get a harmonious combination and elegant design in your kitchen.



Fours CATA

Harmonie maximale avec une efficacité maximale

Fermeture Softclose

La nouvelle fermeture Softclose, inclus dans plusieurs modèles, ferme la porte silencieusement et silencieusement. Ce nouveau système referme la porte lentement et silencieusement en évitant ennuyeux coups.

Nouveaux contrôles

Les nouveaux contrôles des fours CATA offrent une grande finition esthétique dans chacun des modèles de la gamme. Les contrôles avec sérigraphie et occultables se font remarquer, en obtenant une conception minimaliste.

Turbo Plus ou air chaud 3D

Résistance circulaire postérieur associé au ventilateur interne . grâce à cette fonction nous obtenons une répartition uniforme de la chaleur de la résistance dans toute la cavité. Elle est très utile pour les cuissons douce des aliments comme poissons et légumes ainsi que pour les gâteaux et pâtisseries.

AquaSmart :

C'est un système qui permet le nettoyage du four en utilisant de la vapeur d'eau.

AquaSmart automatique :

- Retirez tous les accessoires et les guides latéraux sans modèle.
- Vaporisez 200 ml d'eau sur les parois intérieures du four.

Functions / Fonctions



Pyrolysis Cleaning system
Nettoyage par pyrolyse



ECO Pyrolysis Cleaning system
Nettoyage par pyrolyse ECO



Fast preheating
Préchauffage rapide



Defrosting
Décongélation



Total Ventilated Rack
Gril total ventilé



Total Rack
Gril total



Rack
Gril



Traditional, Fan-Assisted Cooking
Cuisson traditionnelle ventilée



ECO Traditional Cooking
Cuisson traditionnelle ECO



Traditional Cooking
Cuisson traditionnelle



Underfloor element
Résistance sole



Upper resistance
Résistance supérieure



Underfloor element Ventilated
Résistance sole ventilé



Roast kit
Kit rôti



Ventilation
Ventilation



Turbo Plus
Turbo Plus



Interior lighting
Lumière intérieure



AquaSmart Cleaning system
Nettoyage par AquaSmart

- Sélectionnez la fonctionnalité AquaSmart.
- Éliminez l'eau à l'intérieur et éliminez la saleté résiduelle à l'aide d'un chiffon.

AquaSmart manuel :


La durée est 35 minutes et le nettoyage est réalisé comme suit :

- Retirez tous les accessoires et les guides latéraux sans modèle.
- Vaporisez 200 ml d'eau sur les parois intérieures du four.
- Sélectionnez la fonctionnalité AquaSmart et réglez la température à 150 °C pendant 10 minutes.
- Après ce temps, réglez la température à un minimum et gardez cette valeur pendant 25 minutes.
- Éliminez l'eau à l'intérieur et éliminez la saleté résiduelle à l'aide d'un chiffon.

Colonne d'intégration parfaite: Four + Micro-ondes

Les fours CATA obtiennent une intégration et une symétrie totale en combinaison en colonne avec les micro-ondes. Grâce à son design soigné et l'utilisation des matériels de haute qualité, vous obtenez une combinaison harmonieuse et un design élégant dans votre cuisine.

cata & can Roca COLLECTION



HGR 120 PYRO BK p80



HGR 110 AS WH p81



HGR 110 AS BK p81

MULTIFUNCTION OVENS




LCMD 8008 BK p80



LCMD 8008 X p83



MD 7009 WH p88



ME 605 TCP p89



ME 605 TC p89



CDP 780 AS BK p85



CDP 780 AS WH p86



CD 760 AS BK p86



CD 760 AS WH p86



UME 7007 X p81



CM 760 AS BK p86



CM 760 AS WH p86



ME 7007 WH p88



LC 860 BK p89



CME 6006 X p85



ME 605 G p82



ME 605 p82



ME 6006 X p86

RUSTIC OVEN

STATIC OVENS



MRA 7008 BK p90



SE 6104 X p87



SE 604 I p87

90cm WIDE OVEN COMPACT OVENS




ME 910

p90



CMD 5008 X

p91



ME 4006 X

p91

GAS OVENS



HG 600

p92



HFG 600

p92



HG 960

p93



HFG 900

p93

BUILT-IN MICROWAVES

cata & **can Roca** COLLECTION



MC 25 GTC BK

p95



MC 25 GTC WH

p95



MC 32 DC

p96



MC 28 D BK

p96



MC 28 D WH

p96



MC 25 D

p97



MC 20 D

p97



MC 20 IX

p97



FSM 20 WH

p98



FS 20 GX

p99



FS 20 WH

p99



FS 20 BK

p99



HGR 120 PYRO BK




HGR 120 PYRO BK

Code **07042411**

EAN Code **8422248065528**

- **Multifunction** oven - 11 functions
- **Function Turbo Plus**
- **Sequential control panel 100% tactile**
- Cooking start/stop programming
- 5 levels for placing easy-to-move trays
- **1 100% removable telescopic guides**
- **Pre-programmed cooking recipes**
- **3 levels of pyrolysis cleaning, standard, ECO and auto**
- Cold door, **four glass** with tangential ventilation
- Accessories: 1 tray 2,3cm, 1 deep tray 4cm 1 rack
- Pyrolysis Cleaning System
- **Exclusive designed with a black glass finish**
- 60cm wide
- Net capacity 60 litres
- **Energy class A**





HGR 110 AS



HGR 110 AS WH

Code **07042011**

EAN Code **8422248059534**




HGR 110 AS BK

Code **07042311**

EAN Code **8422248059527**




- **Multifunction oven** - 10 functions
- **Function Turbo Plus**
- **Sequential control panel 100% tactile**
- Cooking start/stop programming
- Temperature pre-selection for each function
- 3 levels for placing easy-to-move trays
- **2 100% removable telescopic guides**
- Cold door, **triple glass** with tangential ventilation
- Accessories: 1 tray 3cm, 1 deep tray 5cm and 1 rack
- **aQuaSmart** Cleaning System
- **Exclusive designed with a black/white glass finish**
- 60cm wide
- Net capacity 50 litres
- **Energy class A**





LCMD 8008 BK



LCMD 8008 BK


Code **07002405**

EAN Code **8422248069472**



- **Multifunction** oven - 8 functions
- Removable **Push/Pull controls**
- Digital time cooking programmer
- 5 levels for placing easy-to-move trays
- **1 removable telescopic guide adaptable to any level**
- Panoramic easy-to-clean full glass door
- Cold door **2 glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **Aquasmart** cleaning system
- Stainless steel and black glass finishing
- 60cm wide
- Net capacity **70 litres**
- 220/240V 50/60Hz
- **Energy Class A**

LCMD 8008 X





LCMD 8008 X

Code **07002403**

EAN Code **8422248067782**




- **Multifunction** oven - 8 functions
- Removable **Push/Pull controls**
- Digital time cooking programmer
- 5 levels for placing easy-to-move trays
- **1 removable telescopic guide adaptable to any level**
- Panoramic easy-to-clean full glass door
- Cold door **3 glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **Aquasmart** cleaning system
- **SOFTCLOSE** (Smooth door closing system)
- Stainless steel and black glass finishing
- 60cm wide
- Net capacity **70 litres**
- 220/240V 50/60Hz
- **Energy Class A**







MD 7009 WH




MD 7009 WH


Code **07034001**

EAN Code **8422248069571**

- **Multifunction oven** - 8 functions
- Removable **Push/Pull controls**
- Display cooking programmer with temperature and times
- 5 levels for placing easy-to-move trays
- **1 removable telescopic guide adaptable to any level**
- Panoramic easy-to-clean door
- Cold door **2 glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **Automatic AquaSmart** Cleaning system
- Finished in white glass
- 60cm wide
- Net capacity 60 litres
- 230V 50/60Hz
- **Energy class A**



ME 605 TCP




ME 605 TCP

Code **07030308**

EAN Code **8422248058544**



- **Multifunction oven** - 5 functions
- **Backlit Push/Pull controls**
- **Digital** cooking programmer
- 4 levels for placing trays
- Accessories: tray and rack
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel and black glass
- 60cm wide
- **Suitable for 50 cm cabinet**
- Net capacity 50 litres
- 220/240V 50Hz
- **Energy class A**





ME 605 TC




A

ME 605 TC

Code **07030307**

EAN Code **8422248058537**

- **Multifunction oven** - 5 functions
- **Digital** cooking programmer
- 4 levels for placing trays
- Accessories: tray and rack
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel and black glass
- 60cm wide
- Net capacity 50 litres
- 220/240V 50/60Hz
- Energy class A



CDP 780 AS



A

CDP 780 AS BK

Code **07001401**

EAN Code **8422248059503**




CDP 780 AS WH

Code **07001001**

EAN Code **8422248059510**



- **Multifunction oven** - 8 functions
- Removable **Push/Pull controls**
- Digital cooking programmer
- 4 levels for placing easy-to-move trays
- **1 removable telescopic guide**
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Finished in black/white glass
- 60cm wide
- **Suitable for 50 cm cabinet**
- Net capacity 50 litres
- 220/240V 50Hz
- **Energy class A**





CD 760 AS BK



A

CD 760 BK 60Hz

Code **07001830**

EAN Code **8422248051064**




CD 760 WH 60Hz

Code **07001003**

EAN Code **8422248051767**



- **Multifunction oven** - 6 functions
- Digital cooking programmer
- 4 levels for placing easy-to-move trays
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Finished in black/white glass
- 60cm wide
- **Suitable for 50 cm cabinet**
- Net capacity 50 litres
- 220/240V 50/60Hz
- **Energy class A**



UME 7007 X




A

UME 7007 X

Code **07034305**

EAN Code **8422248067980**

- **Multifunction oven** - 7 functions
- **Mechanical** cooking programmer with automatic stop
- 5 levels for placing trays
- **1 removable telescopic guide adaptable to any level**
- Panoramic easy-to-clean full glass door
- Cold door **2 glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Stainless steel finishing
- 60cm wide
- Net capacity 60 litres
- 220/240V 50/60Hz
- **Energy class A**





CM 760 AS BK



A

CM 760 AS BK

Code **07032307**

EAN Code **8422248059497**



CM 760 AS WH

Code **07032002**

EAN Code **8422248058568**




CM 760 BK 60Hz

Code **07032830**

EAN Code **8422248055321**



- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing trays
- Panoramic door easy clean interior
- Cold door **double glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Finished in /black glass
- 60cm wide
- **Suitable for 50 cm cabinet**
- Net capacity 50 litres
- 220/240V 50/60Hz
- **Energy class A**



ME 7007 WH




A

ME 7007 WH

Code **07034000**

EAN Code **8422248067973**

- **Multifunction** oven - 7 functions
- **Mechanical** cooking programmer with automatic stop
- 5 levels for placing trays
- Panoramic easy-to-clean full glass door
- Cold door **2 glass** with tangential ventilation
- **1 removable telescopic guide adaptable to any level**
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Finished in white/black glass
- 60cm wide
- Net capacity 60 litres
- 230V 50/60Hz
- **Energy class A**





LC 860 BK




LC 860 BK

Code **07015400**

EAN Code **8422248061469**



- **Multifunction Oven** - 6 Functions
- **Mechanical** cooking programmer
- 5 levels for trays
- Cold door double glazed **with tangential ventilation**
- Accessories: Tray and rack
- Special easy-to-clean non-stick enamel
- Finished in black glass
- 60cm wide
- **XXL Net capacity of 70 litres**
- 220/240V 50Hz
- **Energy class A**



CME 6006 X




CME 6006 X

Code **07032308**

EAN Code **8422248066105**

- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer with automatic stop
- 5 levels for placing trays
- Panoramic easy-to-clean door
- Cold door **2 glass** with tangential ventilation
- Accessories: tray and rack
- **AquaSmart** Cleaning system
- Stainless steel and black glass finishing
- 60cm wide
- Net capacity 60 litres
- 230V 50/60Hz
- **Energy class A**





ME 605 G



ME 605 G

Code **07030306**

EAN Code **8422248058520**



- **Multifunction oven** - 5 functions
- **Mechanical** cooking programmer
- 4 levels for placing trays
- Accessories: tray and rack
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel and black glass
- 60cm wide
- Net capacity 50 litres
- 220/240V 50Hz
- **Energy class A**

ME 605





ME 605

Code **07030303**

EAN Code **8422248055475**

- **Multifunction oven** - 5 functions
- **Mechanical** cooking programmer
- 4 levels for placing trays
- Accessories: tray and rack
- Easy clean system
- Cold door **double glass** with tangential ventilation
- Finished in stainless steel
- 60cm wide
- Net capacity 50 litres
- 220/240V 50Hz
- **Energy class A**





ME 6006 X




ME 6006 X

Code **07034307**

EAN Code **8422248068093**

- **Multifunction oven** - 6 functions
- **Mechanical** cooking programmer with automatic stop
- 5 levels for placing trays
- Cold door **2 glass** with tangential ventilation
- Accessories: tray and rack
- **AquaSmart** Cleaning system
- Stainless steel and black glass finishing
- 60cm wide
- Net capacity 57 litres
- 220/240V 50Hz
- **Energy class A**



MRA 7008 BK




MRA 7008 BK

Code **07035407**

EAN Code **8422248067591**

- **Multifunction oven** - 8 functions
- **Analogic** clock
- 5 levels for placing easy-to-move trays
- Panoramic easy-to-clean full glass door
- Cold door **2 glass** with tangential ventilation
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Finished in rustic blacy
- 60cm wide
- Net capacity 60 litres
- 230V 50/60Hz
- **Energy class A**





SE 6104 X




SE 6104 X

Code **07044310**

EAN Code **8422248068161**

- **Static oven** - 4 functions
- 5 levels for placing trays
- Cold door **2 glass** with tangential ventilation
- Accessories: tray
- Stainless steel and black glass finishing
- Easy-to-clean enamel
- 60cm wide
- Net capacity 57 litres
- 220/240V 50Hz
- **Energy class A**



SE 604 I




SE 604 I

Code **07044306**

EAN Code **8422248055147**



- **Static Oven** - 4 functions
- **Mechanical** cooking programmer
- 4 levels for trays
- Accessories: Tray and rack
- Easy clean system
- **Finished in stainless steel and black glass**
- 60cm wide
- Net capacity 50 litres
- **Suitable for 50 cm cabinet**
- 220/240V 50Hz
- **Energy class A**





ME 910




ME 910

Code **07039303**

EAN Code **8422248055178**



- **Multifunction** oven - 8 functions
- **Digital** cooking programmer
- 2 interior lights
- 1 roast kit
- 4 levels for placing easy-to-move trays
- Panoramic door, easy clean interior
- Cold door **triple glass**
- Accessories: tray and rack
- Easy clean system
- Finished in stainless steel
- 90cm wide
- Net capacity **100 litres**
- 220/240V 50/60Hz
- **Energy class A**





CMD 5008 X



A

CMD 5008 X

Code **07003307**

EAN Code **8422248067881**



- **Multifunction** oven - 8 functions
- **Digital** cooking programmer
- Push/Pull controls
- 4 levels for placing trays
- **1 removable telescopic guide adaptable to any level**
- Panoramic easy-to-clean full glass door
- Cold door 3 glass
- Accessories: **Deep tray** and rack
- **AquaSmart** Cleaning system
- Finished in stainless steel and black glass
- 60cm wide
- **Built into a 45cm unit**
- Net capacity 40 litres
- 220/240V 50/60Hz
- **Energy class A**

ME 4006 X



A



ME 4006 X

Code **07003305**

EAN Code **8422248067867**



- **Multifunction** oven - 6 functions
- **Mechanical** cooking programmer
- 4 levels for placing trays
- Panoramic easy-to-clean full glass door
- Accessories: tray and rack
- Cold door 3 glass
- **AquaSmart** Cleaning system
- Finished in stainless steel and black glass
- 60cm wide
- **Built into a 45cm unit**
- Net capacity 40 litres
- 220/240V 50/60Hz
- **Energy class A**





HG 600



A


HG 600

Code **07031302**

EAN Code **8422248055192**



- **Gas oven with electric rack** - 4 functions
- **Mechanical** cooking programmer
- **Thermostat: adjustable up to 270° in gas mode and up to 240° in rack mode**
- 5 shelf positions
- Triple glazed glass door
- Accessories: tray, rack and roast kit
- Finished in stainless steel and black glass
- 60cm wide
- Net capacity 57 litres
- **power: electric 1.8kW, Gas 2.5kW**
- **Energy class A**



HFG 600



A


HFG 600


Code **07031303**

EAN Code **8422248058605**



- **Gas oven** - 4 functions
- **Mechanical** cooking programmer
- **Thermostat: adjustable up to 270°**
- 5 shelf positions
- Triple glazed glass door
- Accessories: tray, rack and roast kit
- Finished in stainless steel and black glass
- 60cm wide
- Net capacity **57 litres**
- **power: top gas 1.7kW, Bottom gas 2.5kW**
- **Energy class A**





HG 960



HG 960

Code **07031306**

EAN Code **8422248062985**



- **Gas oven with electric rack** - 4 functions
- **Mechanical** cooking programmer (90 min)
- Adjustable Thermostat up to 250°
- 4 shelf positions
- Accessories: tray and rack
- Finished in stainless steel
- 90cm wide
- Turnspit (Rotisserie)
- Net capacity **110 litres**
- **power: Electric rack heating 2.55kW, Bottom gas 4.0kW**
- **Energy class B**

HFG 900





HFG 900

Code **07031305**

EAN Code **8422248058612**



- **Gas oven** - 3 functions
- **Mechanical** cooking programmer
- **Adjustable Thermostat up to 270°**
- 4 shelf positions
- Triple glazed glass door
- Accessories: tray, rack and roast kit
- Finished in stainless steel
- 90cm wide
- Net capacity **97 litres**
- **power: top gas 2kW, Bottom gas 3.6kW**
- **Energy class A**







MC 25 GTC BK

MC 25 GTC BK

Code **07510400**

EAN Code **8422248055277**

- **25 litre** built-in microwave
- Simultaneous 1,000 W quartz rack
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in **black glass**
- 60cm wide



Fast start button




Maximum ease of use.
100% Touch



Quartz Rack
1000 W



Easy cleaning
full glass



MC 25 GTC WH

MC 25 GTC WH

Code **07510000**

EAN Code **8422248055260**

- **25 litre** built-in microwave
- Simultaneous 1,000 W quartz rack
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in **white glass**
- 60cm wide



Fast start button




Maximum ease of use.
100% Touch



Quartz Rack
1000 W



Easy cleaning
full glass






MC 32 DC

MC 32 DC

Code **07510303**

EAN Code **8422248055253**

- **32 litre** built-in microwave
- Simultaneous 1,100 W rack
- Five power levels, 900 W output
- **Convection fan 2,500W (total power)**
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 10 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in **anti-fingerprint** stainless steel
- 60cm wide
- Inner measurements 218 x 353 x 345 mm
(high x wide x deep)



MC 28 D

MC 28 D BK

Code **07510402**


EAN Code **8422248058490**

MC 28 D WH

Code **07510002**

EAN Code **8422248058483**

- **28 litre** built-in microwave
- Simultaneous 1,100 W rack
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel and black/white glass
- 60cm wide
- Inner measurements 195 x 333 x 355 mm
(high x wide x deep)






MC 25 D

MC 25 D

Code **07510300**

EAN Code **8422248048453**

- **25 litre** built-in microwave
- Simultaneous 1,000 W quartz rack
- Five power levels, 900 W output
- **Stainless steel interior**
- Revolving dish ø 315 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel
- 60cm wide
- Inner measurements 197 x 333 x 355 mm (high x wide x deep)




MC 20 D

MC 20 D

Code **07510301**

EAN Code **8422248049450**

- **20 litre** built-in microwave
- Simultaneous 1,000 W rack
- Five power levels, 800 W output
- **Stainless steel interior**
- Revolving dish ø 245 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 8 automatic access menus
- Fast start button
- **Easy to install**
- Safety lock
- Finished in stainless steel
- 60cm wide
- Inner measurements 175 x 298 x 320 mm (high x wide x deep)




MC 20 IX

MC 20 IX

Code **07510306**

EAN Code **8422248058476**

- **20 litre** built-in microwave
- Simultaneous 1,100 W rack
- Five power levels, 800 W output
- **Stainless steel interior**
- Revolving dish ø 245 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- Fast start button
- **Easy to install**
- Finished in stainless steel
- 60cm wide
- Inner measurements 175 x 298 x 320 mm (high x wide x deep)






FSM 20 WH

FSM 20 WH

Code **07501001**

EAN Code **8422248074469**

- **20 litre** microwave
- Simultaneous 1,150 W quartz rack
- Five power levels, 700 W output
- Revolving dish ø 245 mm
- Timer from 0 to 30 minutes
- White finish
- Inner measurements 182 x 300 x 290 mm (high x wide x deep)




FS 20 IX

FS 20 IX

Code **07501303**

EAN Code **8422248062701**

- **20 litre** microwave
- Simultaneous 1,000 W quartz rack
- Five power levels, 800 W output
- Revolving dish ø 245 mm
- Timer from 0 to 35 minutes
- Automatic defrosting by time and weight
- Stainless Steel finish
- Inner measurements 218 x 314 x 295 mm (high x wide x deep)





FS 20 GX

FS 20 GX

Code **07501305**

EAN Code **8422248069984**

- **20 litre** microwave
- Simultaneous 1,000 W quartz rack
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- **Mirror effect finishing**
- Inner measurements 182 x 315 x 280 mm (high x wide x deep)

FS 20

FS 20 WH

Code **07501000**



EAN Code **8422248055239**

FS 20 BK

Code **07501400**

EAN Code **8422248055185**

- **20 litre** microwave
- Simultaneous 1,000 W quartz rack
- Five power levels, 700 W output
- Revolving dish ø 255 mm
- Timer from 0 to 95 minutes
- Automatic defrosting by time and weight
- 9 automatic access menus
- Fast start button
- Safety lock
- White and black finishing
- Inner measurements 182 x 315 x 280 mm (high x wide x deep)







HOBBS


CATA designs its hobs caring about customer, even though, Cata hobs have extraordinarily easy use and cleaning which you will enjoy when preparing your favorite dishes. In this section you will find hobs bringing you speed, precision, versatility, safety or a traditional touch. All these solutions will make Cata hobs the best choice.

PLAQUES DE CUISSON

Les plaques de cuisson **CATA** vous offrent une extraordinaire facilité d'utilisation. Elles vous feront profiter de liberté, design, et d'une simplicité de nettoyage grâce auxquels vous prendrez plaisir en cuisinant. Dans cette rubrique, vous découvrirez des plaques de cuisson qui vous apporteront rapidité, précision, versatilité, sécurité ou une touche traditionnelle. Toutes ces solutions vous permettront de choisir la plaque de cuisson qu'il vous faut en fonction de vos besoins.

BOOSTER System: Fast and powerful

CATA Induction hobs offer the Booster system that accelerates the heating cycle up to 45%, which means lower energy consumption, greater cost savings and a shorter cooking time.



Bevelled or Stainless Steel finished

Frontal Bevel Finish

CATA frontal bevel finished provides a clean and sleek design that fits perfectly in any kitchen. An attractive and different design.



Stainless Steel Frame

CATA has several models of inductions and hobs with stainless steel frame, offering elegance and protection against possible impacts.



Système Booster : puissance et rapidité

Les plaques à induction de CATA proposent le système Booster qui accélère jusqu'à 45% le cycle de chauffage. Cela permet une consommation énergétique inférieure, plus d'économies et un temps de cuisson inférieur.

Les vitrocéramiques de zone triple

Les vitrocéramiques de zone triple fournissent 3 mesures différentes, réglables et extensibles, dans une seule zone de cuisson. Lorsque vous utilisez cette zone, vous chauffez une surface plus grande des grands conteneurs, ce qui vous permet d'économiser du temps de chauffage et de cuisson.

Triple zone ceramic hobs

The triple zone ceramic hobs offer three different adjustable and expandable dimensions in a single cooking zone. When using the giant zone you get to heat more surface in large containers achieving a saving of heating and cooking time.



ø32 cm giant cooking area

In the **IB 6021 BK** model you will find a giant area of 32 cm in diameter and the new models **IB 6030** with stainless frame or black or white glass finish, with a giant area of 30 cm, will allow you to use larger size pots, ideal for several diners.



Gas hobs

All **Cata** gas hobs are equipped with high stability grills and safety valves to provide maximum safety. Besides, certain models include a special 3.5kW triple crown burner that provides efficient rapid combustion and an optimum heat distribution.



Zone géante de 32 cm

Le modèle IB 6021 BK dispose d'une zone énorme ayant un diamètre de 32 cm et les nouveaux modèles IB 6030 disposent d'une structure en acier inoxydable ou d'une finition en verre noir ou blanc et une zone énorme de 30 cm, ce qui vous permettra d'utiliser des pots grands, à savoir une situation idéale pour plusieurs convives.

Finition biseauté ou en acier inoxydable

Finition biseau frontal

La finition de biseau frontal de CATA offre un dessin propre et lisse qui

Free Zone Induction



Flexibility and comfort in your induction

The new **IF 6011 BK/IF 6002 BK** Induction is a new generation of hobs with sliding touch control that provide ease of use. Thanks to **Free Zone Induction** technology, you get versatility and freedom when cooking with induction plate of 3/4 independent zones and 1/2 modular double zones 21,5 x 38 cm.



1 modular double zone 21.5 x 38 cm




3 independent zones with
Booster function for each zone

Installation for induction and high light hobs

CATA induction and high light hobs are easily installed. Following the ventilation instructions, a proper operation and long product life is guaranteed.

Minimum distance between the socket hole and any rear or side wall



s'ajuste parfaitement dans n'importe quelle cuisine. Une conception attractive et différente.


Encadrement en acier inoxydable

CATA dispose de plusieurs modèles de plaques à induction et à vitrocéramique avec l'encadrement en acier inoxydable, offrant une élégance et une protection face à possibles impacts.

Plaques de cuisson à gaz

Toutes les plaques de cuisson à gaz de Cata sont équipées de grilles de haute stabilité et de soupapes de sécurité qui fournissent la sécurité

Installation diagram for induction hobs



Minimum distances for the
correct ventilation

maximale, plus encore, dans certains modèles, d'un brûleur spécial triple couronne de 3,5 kW fournissant une combustion rapide et efficace, ainsi qu'une distribution optimale de la chaleur.

Induction Free Zone

La nouvelle induction IF 6011 BK/IF 6002 BK est une nouvelle génération de plaques à induction à contrôle tactile coulissant, qui permet une utilisation facile ainsi que de la polyvalence et de la liberté lors de la cuisson, grâce à la technologie « Free Zone Induction ». La plaque à induction se compose de 3/4 zones distinctes, ce qui permet d'avoir 1/2 zones modulaires doubles de 21,5 x 38 cm.

ROCOOK Induction

INDUCTION - CATA & CAN ROCA SERIES




ROCOOK BK p112



ROCOOK GR p112



GIGA 750 BK p113



GIGA 600 BK p113



GIGA 600 WH p113

INDUCTION HOBS



IF 6002 BK p114



IF 6011 BK p114



ISB 905 BK p116



ISB 8004 BK p116




ISB 704 BK p117




IB 604 p117




IB 5004 BK p118




I 6004 BK p118




ISB 603 p119




IB 6030 p119




IB 6003 BK p120



IB 6021 BK p120



IB 603 BK p121



IB 603 WH p121



IB 753 BK p122



IB 772 p122



IB 2 PLUS BK p123




IB 3102 BK p123




IB 302 BK p123


MIXED HOBS - HIGH LIGHT + INDUCTION



IT 603 p124



IT 773 p124




IT 7002 BK p125


HIGH LIGHT HOBS




TCT 905 p126



TCDO 704 p126



TCD 772 p127




TCDO 604 BV p127




T 604 X p128




T 604 p128




TCD 604 p128



TN 604 p129



604 HVI p129



TDN 603 p130



TT 603 X p131



TT 603 p131



TT 5003 X p131



TCT 302 p132



TD 302 p132



VI 302 p132

MIXED HOB - HIGH LIGHT + GAS HOB



MVG 604 p133

GAS - GAS-ON-GLASS HOBS



LCI 941 BK p134



L 705 CI BK p134



LCI 631 BK p135




LCI 631 WH p135



LCI 5004 BK p135




LCI 6021 BK p136



CCI 6031 BK p136



CCI 6021 BK p137



CI 631 BK p137



CI 6021 BK p138




CB 631 p138



CB 631 LA p139



CB 702 p139




RCI 631BK/WH/ IV p140



LCI 302 BK p140

GAS - STAINLESS STEEL GAS HOBS



L 905 TI p142




L 705 TI p142



LGD 631 p143



LGI 631 p143



GI 6031 X p143



GI 6004 X p144



GI 6021 X p144



GI 302 p145



302 TI p145




LXB 631 p146



XB631 LA p146



GI 6004 X p147



XB 604 p147



ROCOOK

It is the proposal created by CATA along with El Cellar de Can Roca to get your homes closer to the benefits of low-temperature cooking.

With low temperature we invite you to discover a cuisine friendly with the product, which seeks to enhance its organoleptic properties and, in turn, it is able to conserve much better nutritional properties and is very picky about food quality. We have been cooking at low temperature cooking for thousands of years, but the current novelty is based on technological development that offers precision and control to understand the processes and always get excellent results.

Thus ROCOOK arose, a project to explain what is the low temperature, how to cook with it and offers you recipes and ideas to put them in practice. We have designed together with the Cata and Lléu R & D department, equipment and utensils to make this adventure at home possible, easy and convenient.

Joan Roca



ROCOOK: Cela est la proposition créée par CATA avec El Cellar de Can Roca pour rapprocher à vos foyers les avantages de la cuisson à basse température.

À basse température, nous vous invitons à découvrir une cuisine très respectueuse avec le produit, qui cherche à surélever ses propriétés organoleptiques et, en même temps, elle est capable de conserver beaucoup mieux ses propriétés nutritionnelles et est très exigeante avec la qualité des aliments. On a cuisiné à basse température depuis des milliers d'années, la nouveauté actuelle est basée sur le développement technologique qui offre une précision et un contrôle pour comprendre les processus et toujours obtenir d'excellents résultats. Ainsi apparut ROCOOK, un projet visant à expliquer ce qui est la



basse température, comment se cuisine avec elle et vous propose des recettes et des idées pour les mettre en pratique. Nous avons conçu conjointement avec la R & D de Cata et de Lléu, l'équipe et les ustensiles pour faire de cette aventure à la maison possible, facile et pratique. - Joan Roca

Qu'est que c'est ROCOOK Induction

ROCOOK Induction est une plaque de cuisson à induction conçue par Cata pour cuisiner avec un contrôle précis de la température. **Grâce à un capteur pour le milieu de cuisson et une sonde à l'intérieur du cœur pour l'aliment, on obtient la saveur et la texture optimale dans chaque recette.**

Il permet également cuisiner en utilisant des niveaux de puissance,


What is ROCOOK Induction

ROCOOK Induction is an induction hob designed by Cata to cook with **precise temperature control**.

Thanks to a sensor for the cooking medium and a probe inside the heart for food, we get **the optimal flavour and texture in each recipe**.

It also allows to cook using power levels, making it a very **versatile** solution. It can be used in a very intuitively way with touch control or with a specifically designed App that also offers **El Celler de Can Roca recipes and training in one click** to make the most of this experience.

ROCOOK Induction has **high energy efficiency and is convenient to store and transport**.



ITS BENEFITS

Accurate cooking

The most obvious advantage of the low-temperature cooking is the accuracy with which we can cook by controlling the time and temperature (T&T).

Splendid textures

One of the most striking aspects is the kind of textures we can get. Meats become more mellow, vegetables juicier and fish can almost be eaten with a spoon. Thanks to the gentle cooking, food retain in a better way their juices and it is achieved to soften the meat without losing its original flavours.

Genuine flavours and healthy foods

The low temperature preserves the nutritional qualities of food because it prevents the loss of more sensitive nutrients to high temperatures..



ce qui en fait une solution très polyvalente. Il peut être utilisé de manière intuitive avec son contrôle tactile ou avec une application mobile conçue spécialement qui offre également des recettes et de la formation d'El Celler de Can Roca en un seul clic pour profiter au mieux de cette expérience.

ROCOOK Induction a un rendement énergétique élevé et est pratique à garder et à transporter.

SES AVANTAGES

Cuissons précises. L'avantage le plus évident de la cuisson à basse température est la précision avec laquelle nous pouvons cuire en contrôlant le temps et la température (T&T).

Textures splendides. Un des aspects les plus frappants est

le genre de textures que nous pouvons obtenir. Les viandes deviennent plus moelleuses, les légumes juteuses et les poissons presque peuvent être mangés avec une cuillère. Merci à la cuisson douce, les aliments conservent mieux leur jus et la viande s'attendrit sans perdre ses saveurs originales.

Saveurs authentiques et des aliments sains. La basse température préserve les qualités nutritionnelles des aliments, car elle empêche les nutriments plus sensibles aux températures élevées.



ROCOOK INDUCTION BK

ROCOOK INDUCTION BK

Code **08003400**

EAN Code **8422248068307**

- **ROCOOK Induction black hob**
 - Cooking area of ø 230 mm
 - Bluetooth 4.0 (link with temperature sensor)
 - Power: 2 kW
 - Weight: 3.7 kg
 - Product measurements: 295x365x64 mm
- Temperature sensor
- Adapter for shallow pans
- European plug (type F)



ROCOOK INDUCTION GR

ROCOOK INDUCTION GR

Code **08003300**

EAN Code **8422248069458**

- **ROCOOK Induction grey hob**
 - Cooking area of ø 230 mm
 - Bluetooth 4.0 (link with temperature sensor)
 - Power: 2 kW
 - Weight: 3.7 kg
 - Product measurements: 295x365x64 mm
- Temperature sensor
- Adapter for shallow pans
- European plug (type F)



ROCOOK STARTER KIT GR



ROCOOK STARTER KIT GR

Code **08007301**

EAN Code **8422248069755**

- **ROCOOK Induction grey hob**
 - Cooking area of ø 230 mm
 - Bluetooth 4.0 (link with temperature sensor)
 - Power: 2 kW
 - Weight: 3.7 kg
 - Product measurements: 295x365x64 mm
- Temperature sensor
- Core temperature probe
- Vacuum pump
- Bag for sensors
- Sous-vide cooking bags 21x22
- Sous-vide cooking bags 25.5x28
- 3 bag clips
- Adapter for shallow pans
- Cooking mesh
- Adaptable suction lid ø 320 mm
- "Firts Steps" course
- European plug (type F)





GIGA 750 BK



GIGA 750 BK

Code **08026001**

EAN Code **8422248054485**

• 6 ultra-fast induction cooking areas



- 6 independent induction areas with **BOOSTER** function for each area




- 3 modular double areas measuring 23.5 x 37 cm



- 1 modular giant area measuring 40 cm

- 2.1kW power in each cooking area (max. 3.7kW)
- **Intelligent pan detection** system
- 9 levels + **BOOSTER** with **Slider Touch Control** for each area
- Safety lock
- It has three **temperature functions**:
 - Level 1:** 42°C (melting or defrosting)
 - Level 2:** 70°C (heating or keeping warm)
 - Level 3:** 94°C (simmering)
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **77 cm wide**
- **Total power 11kW**



GIGA 600



GIGA 600 BK

Code **08026002**

EAN Code **8422248059190**

GIGA 600 WH

Code **08026003**

EAN Code **8422248059206**

• 4 ultra-fast induction cooking areas



- 4 independent induction areas with **BOOSTER** function for each area




- 2 modular double areas measuring 23.5 x 37 cm



- 1 modular giant area measuring 40 cm

- 2.1kW power in each cooking area (max. 3.7kW)
- **Intelligent pan detection** system
- 9 levels + **BOOSTER** with **Slider Touch Control** for each area
- Safety lock
- It has three **temperature functions**:
 - Level 1:** 42°C (melting or defrosting)
 - Level 2:** 70°C (heating or keeping warm)
 - Level 3:** 94°C (simmering)
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **59 cm wide**
- **Total power 7.4kW**





IF 6002 BK



IF 6002 BK

Code **08074005**

EAN Code **8422248069816**

• 4 cooking areas:




- 4 independent induction areas with **BOOSTER** function for each area



- 2 modular double areas measuring 21.5 x 38 cm

- Front Right: 1 area with **BOOSTER** function of 23.5cm x 18.4cm of 1.6 kW (max. 1,85kW)
- Rear Right: 1 area with **BOOSTER** function of 23.5cm x 18.4cm of 2.1 kW (max. 3kW)
- Front Left: 1 area with **BOOSTER** function of 23.5cm x 18.4cm of 1.6 kW (max. 1,85kW)
- Rear Left: 1 area with **BOOSTER** function of 23.5cm x 18.4cm of 2.1 kW (max. 3kW)

- **Slider Touch Control** with acoustic warning
- 9 adjustable power levels + **BOOSTER**
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Frontal bevel**
- **59 cm wide**
- **Total power 7.4kW**



IF 6011 BK



IF 6011 BK

Code **08073009**

EAN Code **8422248069823**

• 3 cooking areas:




- 3 independent induction areas with **BOOSTER** function for each area





- 1 modular double areas measuring 21.5 x 38 cm

- Right: 1 giant area with **BOOSTER** function of ø270mm of 2.3 kW (max. 3kW)
- Front Left: 1 area with **BOOSTER** function of 23.5cm x 18.4cm of 1.6 kW (max. 1,85kW)
- Rear Left: 1 area with **BOOSTER** function of 23.5cm x 18.4cm of 2.1 kW (max. 3kW)

- **Slider Touch Control** with acoustic warning
- 9 adjustable power levels + **BOOSTER**
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Frontal bevel**
- **59 cm wide**
- **Total power 6.7kW**







ISB 905 BK




ISB 905 BK

Code **08023000**

EAN Code **8422248062947**



- **5 cooking areas:**
 - Right: 1 giant area **with BOOSTER function** of $\varnothing 270$ of 2.3kW (max. 3kW)
 - Front Center: 1 area of $\varnothing 180$ of 1.4kW
 - Rear Center: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Front Left: 1 area **with BOOSTER function** of $\varnothing 180$ of 1.4kW (max. 2kW)
 - Rear Left: 1 area of $\varnothing 180$ of 1.4kW
- **Circular Slider Touch Control** with acoustig warning
- 9 touch control adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Frontal bevel**
- **90 cm wide**
- **Total power 10.1kW**



ISB 8004 BK





ISB 8004 BK

Code **08081205**

EAN Code **8422248073608**

- **4 cooking areas:**
 - Front Right: 1 area of $\varnothing 180$ of 1.4kW
 - Rear Right: 1 area **with BOOSTER function** of $\varnothing 180$ of 1.4kW (max. 2kW)
 - Rear Center: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Front Left: 1 giant area **with BOOSTER function** of $\varnothing 270$ of 2.3kW
- **Slider Touch Control** with acoustig warning
- 9 touch control adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Frontal bevel**
- **80 cm wide**
- **Total power 9.4kW**





ISB 704 BK




ISB 704 BK

Code **08081203**

EAN Code **8422248058407**

- **4 cooking areas:**
 - Front Right: 1 area of $\varnothing 180$ of 1.4kW
 - Rear Right: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Front Left: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Rear Left: 1 area of $\varnothing 180$ of 1.4kW.
- **Slider Touch Control** with acoustic warning
- 9 touch control adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Frontal bevel**
- **77 cm wide**
- **Total power 7.4kW**



IB 604



IB 604 BK

Code **08074001**

EAN Code **8422248059213**

IB 604 WH

Code **08074002**


EAN Code **8422248059220**


IB 604 X

Code **08074301**

EAN Code **8422248064316**

- **4 cooking areas:**
 - Front Right: 1 area $\varnothing 180$ of 1.4kW
 - Rear Right: 1 area **with BOOSTER function** of $\varnothing 220$ of 1.85kW (max. 2.1kW)
 - Front Left: 1 area **with BOOSTER function** of $\varnothing 180$ of 1.2kW (max. 1.4kW)
 - Rear Left: 1 area $\varnothing 180$ of 1.4kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- Black or white finishing.
- **Stainless Steel Frame** (IB 604 X)
- **59 cm wide**
- **Total power 6.3kW**






IB 5004 BK

**IB 5004 BK**Code **08074006**EAN Code **8422248069878**


- **4 zonas** de cocción:
 - Front Right: 1 area **with BOOSTER function** of $\varnothing 150$ of 1,2kW (max. 1,6kW)
 - Rear Right: 1 area **with BOOSTER function** of $\varnothing 220$ of 1,5kW (max. 2kW)
 - Front Left: 1 area **with BOOSTER function** of $\varnothing 150$ of 1,2kW (max. 1,6kW)
 - Rear Left: 1 area **with BOOSTER function** of $\varnothing 150$ of 1,2kW (max. 1,6kW)
- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Suitable for short depth cabinets**
- **60 cm wide**
- **Total power 6.8kW**



I 6004 BK

**I 6004 BK**Code **08040100**EAN Code **8422248073776**

- **4 cooking areas:**
 - Front Right: 1 area with of $\varnothing 180$ of 2kW
 - Rear Right: 1 area with of $\varnothing 160$ of 1.5kW
 - Front Left: 1 area with of $\varnothing 160$ of 1.5kW
 - Rear Left: 1 area with of $\varnothing 180$ of 2kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety Lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm wide**
- **Total power 6.4kW**






ISB 603

**ISB 603 BK**Code **08073211**EAN Code **8422248055871****ISB 603 WH**Code **08001001**EAN Code **8422248055888****ISB 603 SD**Code **08001600**EAN Code **8422248058414**


- **3 cooking areas:**
 - Right: 1 giant area **with BOOSTER function** of $\varnothing 270$ of 2.3kW (max. 3kW)
 - Front Left: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Rear Left: 1 area of $\varnothing 180$ of 1.4kW.
- **Slider Touch Control** with acoustic warning
- 9 touch control adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- Black, white or sand finishing
- **Frontal bevel**
- **59 cm wide**
- **Total power 6.7kW**



IB 6030

**IB 6030 X**Code **08073106**EAN Code **8422248075138****IB 6030 WH**Code **08073107**EAN Code **8422248075145****IB 6030 BK**Code **08073100**EAN Code **8422248073561**

- **3 cooking areas:**
 - Front Right: 1 area **with BOOSTER function** of $\varnothing 160$ of 1.2kW (max. 1.6kW)
 - Rear Right: 1 area **with BOOSTER function** of $\varnothing 200$ of 1.5kW (max. 2kW)
 - Left: **1 giant area with BOOSTER function** of $\varnothing 300/180$ of 2.7/1.5kW (max. 3.6/1.8kW)
- **Independent Touch Control for each area**
- 9 touch control adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- Black or white finishing
- **Stainless steel frame (IB 6030 X)**
- **Frontal bevel (IB 6030 WH / IB 6030 BK)**
- **59 cm wide**
- **Total power 7.2kW**





I 6003 BK




I 6003 BK

Code **08063100**

EAN Code **8422248073769**

- **3 cooking areas:**
 - Right: **1 giant area** of $\varnothing$ 280 of 2.3kW
 - Front Left: 1 area of $\varnothing$ 160 of 1.5kW
 - Rear Left: 1 area of $\varnothing$ 180 of 2kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety Lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm wide**
- **Total power 5.8kW**



IB 6021 BK





IB 6021 BK

Code **08073008**

EAN Code **8422248069809**

- **3 cooking areas:**
 - Right: **1 giant double area with BOOSTER function** of $\varnothing$ 320/200 of 3/2.3kW (max. 3.6/3kW)
 - Front Left: 1 area with $\varnothing$ 180 of 1.4kW
 - Rear Left: 1 area with **BOOSTER function** of $\varnothing$ 180 of 1.4kW (max. 2kW)
- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm wide**
- **Total power 7.1kW**







IB 603 BK

**IB 603 BK**Code **08073003**EAN Code **8422248062916**


- **3 cooking areas:**
 - Front Right: 1 area **with BOOSTER function** of $\varnothing 160$ of 1.2kW (max. 1.6kW)
 - Rear Right: 1 area **with BOOSTER function** of $\varnothing 230$ of 1.5kW (max. 2kW)
 - Left: 1 giant area **with BOOSTER function** of $\varnothing 260$ of 2.2kW (max. 3kW)
- **Independent touch control for each area**
- 9 adjustable power levels + BOOSTER
- Safety Lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **59 cm wide**
- **Total Power 6.6kW**




IB 603 WH

**IB 603 WH**Code **08073002**EAN Code **8422248054492**

- **3 cooking areas:**
 - Right: 1 giant area **with BOOSTER function** of $\varnothing 270$ of 2.3kW (max. 3kW)
 - Front Left: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Rear Left: 1 area of $\varnothing 180$ of 1.4kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- White finishing
- **59 cm wide**
- **Total power 6.7kW**





IB 753 BK




IB 753 BK

Code **08081202**

EAN Code **8422248054478**

- **3 cooking areas:**
 - Right: 1 giant area with **BOOSTER function** of $\varnothing 270$ of 2.3kW (max. 3kW)
 - Centre: 1 area of $\varnothing 180$ of 1.4kW
 - Left: 1 area with **BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **77 cm wide**
- **Total power 6.7kW**



IB 772




IB 772

Code **08027205**

EAN Code **8422248060189**

- **2 cooking areas:**
 - Right: 1 area with **BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Left: 1 giant area with **BOOSTER function** of $\varnothing 270$ of 2.3kW (max. 3kW)
- **Slider Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection
- **Frontal bevel**
- **75 cm wide**
- **Total power 6kW**





IB 2 PLUS BK

**IB 2 PLUS BK**Code **08027203**EAN Code **8422248055864**

IB 3102 BK

**IB 3102 BK**Code **08003206**EAN Code **8422248073783**

IB 302 BK

**IB 302 BK**Code **08003203**EAN Code **8422248054461**• **2 cooking areas:**

- Right: 1 area of $\varnothing 180$ of 1.4kW
- Left: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)

- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection

• **Frontal bevel**

- **59 cm wide**
- **Total power 3.7kW**

• **2 cooking areas:**

- Front: 1 area of $\varnothing 180$ of 1.4kW
- Rear: 1 area **with BOOSTER function** of $\varnothing 220$ of 2.3kW (max. 3kW)

- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection

• **30 cm wide**

- **Total power 3.7kW**




• **2 cooking areas:**

- Front: 1 area **with BOOSTER function** of $\varnothing 180$ of 1.4kW (max. 2kW)
- Rear: 1 area of $\varnothing 180$ of 1.4kW

- **Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection

• **30 cm wide**

- **Total power 3.5kW**





IT 603




IT 603

Code **08062207**

EAN Code **8422248064965**

- **3 cooking areas:**
 - Front Right: 1 **induction** area **with BOOSTER** function of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Rear Right: 1 **induction** area of $\varnothing 180$ of 1.4kW
 - Left: 1 **triple high light** area of $\varnothing 230/180/120$ of 2.5/1.6/0.8kW
- **Slider Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection (induction areas)
- **Frontal bevel**
- **59 cm wide**
- **Total power 6.2kW**



IT 773




IT 773

Code **08062205**

EAN Code **8422248060196**

- **3 cooking areas:**
 - Right: 1 **induction** area **with BOOSTER** function of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Centre: 1 **induction** area of $\varnothing 180$ of 1.4kW
 - Left: 1 **giant triple high light** area of $\varnothing 270/210/140$ of 2.7/1.95/1.05kW
- **Slider Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection (induction areas)
- **Frontal bevel**
- **75 cm wide**
- **Total power 6.4kW**



MIXED INDUCTION+HIGH LIGHT



IT 7002 BK 




IT 7002 BK

Code **08079202**

EAN Code **8422248073592**

- **2 cooking areas:**
 - Right: 1 **induction** area with **BOOSTER** function of $\varnothing 220$ of 2.3kW (max. 3kW)
 - Left: 1 **giant double high light** area of $\varnothing 270/210$ of 2.4/1.5kW
- **Slider Touch Control** with acoustic warning
- 9 adjustable power levels + BOOSTER
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- Automatic pan detection (induction areas)
- **Frontal bevel**
- **73 cm wide**
- **Total power 5.4kW**





TCT 905





TCT 905

Code **08023206**

EAN Code **8422248073578**

- **5 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing 140$ of 1.2kW
 - Rear Right: 1 double area of $\varnothing 180/120$ of 1.7/0.7kW
 - Centre: 1 **giant triple area** of $\varnothing 270/210/145$ of 2.7/1.95/1.05kW
 - Front Left: 1 double area of $\varnothing 210/120$ of 2.2/0.75kW
 - Rear Left: 1 area of $\varnothing 140$, 1.2kW
- **Independent Touch Control for each area**
- 9 adjustable power levels
- Safety lock
- Timer function for each area
- Countdown alarm
- Residual heat indicator
- Automatic safety switch-off
- **90 cm wide**
- **Total power 9.1kW**



TCDO 704




TCDO 704

Code **08025000**

EAN Code **8422248059244**

- **4 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing 180$ of 1.8kW
 - Rear Right: 1 **extensible area** of 265/ $\varnothing 170$ of 2.2/1.4kW
 - Front Left: 1 area of $\varnothing 210/120$ of 2.2/0.75kW
 - Rear Left: 1 area of $\varnothing 140$ of 1.2kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **77 cm wide**
- **Total power 7.4kW**





TCD 772





TCD 772

Code **08079001**

EAN Code **8422248059237**

- **2 High Light cooking areas:**
 - Right: 1 area of $\varnothing 180$ of 1.8 kW
 - Left: **1 giant double area** of $\varnothing 270/210$ of 2.4/1.5 kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **77 cm wide**
- **Total power 4.2 kW**



TCDO 604 BV






TCDO 604 BV

Code **08052207**

EAN Code **8422248059251**

- **4 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing 140$ of 1.2kW
 - Rear Right: **1 extensible area** of 265/ $\varnothing 170$ of 2.2/1.4kW
 - Front Left: 1 area of $\varnothing 210/120$ of 2.2/0.75kW
 - Rear Left: 1 area of $\varnothing 140$ of 1.2kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Timer function for each area
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **59 cm wide**
- **Total power 6.8kW**





T 604



T 604 X

Code **08052302**

EAN Code **8422248064293**




T 604

Code **08052206**

EAN Code **8422248051828**



- **4 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing$ 180 of 1.8kW
 - Rear Right: 1 area of $\varnothing$ 140 of 1.2kW
 - Front Left: 1 area of $\varnothing$ 140 of 1.2kW
 - Rear Left: 1 area of $\varnothing$ 210 of 2.3kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety Lock
- Residual heat indicator
- Automatic safety switch-off
- **Stainless steel frame (T 604 X)**
- **59 cm wide**
- **Total power 6.5kW**



TCD 604






TCD 604

Code **08052001**

EAN Code **8422248056366**

- **4 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing$ 140 of 1.2kW
 - Rear Right: 1 area of $\varnothing$ 180 of 1.8kW
 - Front Left: **1 double area** of $\varnothing$ 210/120 of 2.2/0.75kW
 - Rear Left: 1 area of $\varnothing$ 140 of 1.2kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **Frontal bevel**
- **59 cm wide**
- **Total power 6.4kW**





TN 604



TN 604

Code **08040010**

EAN Code **8422248058285**



604 HVI



604 HVI

Code **08072200**

EAN Code **8422248023627**

• 4 High Light cooking areas:

- Front Right: 1 area of $\varnothing 180$ of 1.8kW
- Rear Right: 1 area of $\varnothing 140$ of 1.2kW
- Front Left: 1 area of $\varnothing 140$ of 1.2kW
- Rear Left: 1 area of $\varnothing 180$ of 1.8kW

• **Touch Control** with acoustic warning



- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm wide**
- **Total power 6kW**

• 4 High Light cooking areas:

- Front Right: 1 area of $\varnothing 140$ of 1.2kW
- Rear Right: 1 area of $\varnothing 180$ of 1.8kW
- Front Left: 1 area of $\varnothing 180$ of 1.8kW
- Rear Left: 1 area of $\varnothing 140$ of 1.2kW

• Mechanical controls

- 6 adjustable power levels
- Residual heat indicator
- **59 cm wide**
- **Total power 6kW**



HIGH LIGHT HOBS



TDN 603




TDN 603

Code **08063010**

EAN Code **8422248058278**

- **3 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing 180$ of 1.8kW
 - Rear Right: 1 area of $\varnothing 140$ of 1.2kW
 - Left: **1 giant double area** of $\varnothing 270/210$ of 2.4/1.5kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **59 cm wide**
- **Total power 5.4kW**





TT 603



TT 603 X

Code **08063300**



EAN Code **8422248064309**

TT 603

Code **08063007**

EAN Code **8422248051910**

- **3 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing 180$ of 1.8kW
 - Rear Right: 1 area of $\varnothing 140$ de 1.2kW
 - Left: **1 giant triple area** of $\varnothing 270/210/140$ of 2.7/1.95/1.05kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **Stainless steel frame (TT 603 X)**
- **59 cm wide**
- **Total power 5.7kW**



TT 5003




TT 5003

Code **08077000**

EAN Code **8422248074162**

- **3 High Light cooking areas:**
 - Front Right: 1 area of $\varnothing 180$ of 1.8kW
 - Rear Right: 1 area of $\varnothing 140$ of 1.2kW
 - Left: **1 giant triple area** of $\varnothing 270/210/140$ of 2.7/1.95/1.05kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **Suitable for short depth cabinets**
- **59 cm wide**
- **Total power 5.7kW**





TCT 302




TCT 302

Code **08060007**

EAN Code **8422248054966**

- **2 High Light cooking areas:**
 - Front: 1 area of $\varnothing 140$ of 1.2kW
 - Rear: **1 triple area** of $\varnothing 200/160/100$ of 2.1/1.5/0.6kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **30 cm wide**
- **Total power 3.3kW**



TD 302




TD 302

Code **08060006**

EAN Code **8422248051811**

- **2 High Light cooking areas:**
 - Front: 1 area of $\varnothing 140$ of 1.2kW
 - Rear: **1 double area** of $\varnothing 180/120$ of 1.7/0.7kW
- **Touch Control** with acoustic warning
- 9 adjustable power levels
- Safety lock
- Residual heat indicator
- Automatic safety switch-off
- **30 cm wide**
- **Total power 2.9kW**



VI 302




VI 302

Code **08049005**

EAN Code **8422248055857**

- **2 High Light cooking areas:**
 - Front: 1 area of $\varnothing 140$ of 1.2kW
 - Rear: 1 area of $\varnothing 180$ of 1.8kW
- Mechanical control
- 6 adjustable power levels
- Residual heat indicator
- **30 cm wide**
- **Total power 3kW**





MVG 604




MVG 604

Code **08007200**

EAN Code **8422248063098**

- **1 High Light cooking areas:**
 - Rear Left: 1 area $\varnothing$ 140, 1.2kW
- **3 Gas Burners:**
 - Front Right: Small burner of 0.88kW
 - Rear Right: Middle burner of 1.78kW
 - Front Left: Big burner of 3kW
- Gas burners with FDD safety
- Mechanical control
- Adjustable power levels
- **59 cm wide**
- **Total Gas power 5.66kW**
- **Total Electric power 1.2kW**
- Black vitroceramic surface
- Finished in black glass
- Gas conversion set included





LCI 941 BK





LCI 941 BK

Code **08005402**

EAN Code **8422248054980**

- **5 gas burners:**
 - Rear Left: 1 semi-fast of 1.75kW
 - Front Left: 1 semi-fast of 1.75kW
 - Center: 1 **triple ring** of 3.5kW
 - Rear Right: 1 fast of 3kW
 - Front Right: 1 auxilliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **87 cm wide**
- **Potencia total 10.9kW**



L 705 CI BK




L 705 CI BK

Code **08046403**

EAN Code **8422248023238**

- **5 gas burners:**
 - Rear Left: 1 fast of 3kW
 - Front Left: 1 semi-fast of 1.75kW
 - Center: 1 **triple ring** of 3.5kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxilliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **70 cm wide built in 60 cm**
- **Potencia total 10.9kW**





LCI 631



LCI 631 BK

Code **08041209**

EAN Code **8422248055369**


LCI 631 WH

Code **08041007**

EAN Code **8422248055376**

• 4 gas burners:

- Rear: 1 semi-fast of 1.75kW
- Front: 1 auxilliary of 1kW
- Right: 1 **triple ring** of 3.5kW
- Left: 1 fast of 3kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **60 cm wide**
- **Total power 9.2kW**



LCI 5004 BK



LCI 5004 BK

Code **08041210**


EAN Code **8422248070324**

• 4 gas burners:

- Rear Left: 1 semi-fast of 1.75kW
- Front Left: 1 fast of 3kW
- Rear Right: 1 auxilliary of 1kW
- Front Right: 1 semi-fast of 1.75kW

• Suitable for short depth cabinets

- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **60 cm wide**
- **Total power 7.5kW**





LCI 6021 BK




LCI 6021 BK

Code **08068401**

EAN Code **8422248068376**

- **3 gas burners:**
 - Left: 1 **triple ring** of 3kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxilliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **58 cm wide**
- **Total power 5.75kW**



CCI 6031 BK





CCI 6031 BK

Code **08041501**

EAN Code **8422248073691**

- **4 gas burners:**
 - Rear Left: 1 semi-fast of 1.75kW
 - Front Left: 1 **triple ring** of 3.5kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxilliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59 cm wide**
- **Total power 8kW**





CCI 6021 BK




CCI 6021 BK

Code **08068501**

EAN Code **8422248073707**

- **3 gas burners:**
 - Left: 1 **triple ring** of 3.5kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxilliar of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59 cm wide**
- **Total power 6.25kW**



CI 631 BK





CI 631 BK

Code **08041412**

EAN Code **8422248058681**

- **4 gas burners:**
 - Rear Left: 1 semi-fast of 1.75kW
 - Front Left: 1 **triple ring** of 3kW
 - Front Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxilliar of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59 cm wide**
- **Total power 7.5kW**





CI 6021 BK




CI 6021 BK

Code **08068309**

EAN Code **8422248067355**

- **3 gas burners:**
 - Left: 1 **triple ring** of 3kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxiliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59 cm wide**
- **Total power 5.75kW**



CB 631




CB 631 A/A

Code **08068306**

EAN Code **8422248064989**

- **4 gas burners:**
 - Rear left: 1 semi-fast 1.75kW
 - Front left: 1 **triple ring** 3kW
 - Rear Right: 1 semi-fast 1.75kW
 - Front Right: 1 auxiliary 1kW
- **Battery** operated auto-ignition (**CB 631 A**)
- Plug-in autoignition
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **60cm wide**
- **Total power 7.5kW**





CB 631 LA




CB 631 LA

Code **08068307**

EAN Code **8422248065009**

- **4 gas burners:**
 - Rear left: 1 semi-fast 1.75kW
 - Front left: 1 **triple ring** 3kW
 - Rear Right: 1 semi-fast 1.75kW
 - Front Right: 1 auxiliary 1kW
- Plug-in autoignition
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **60cm wide**
- **Total power 7.5kW**



CB 702




CB 702

Code **08046407**

EAN Code **8422248059169**

- **2 gas burners:**
 - Left: 1 **triple ring**, 3.5kW
 - Right: 1 **triple ring**, 3.5kW
- **Battery** operated auto-ignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **73 cm wide**
- **Total power 7kW**





RCI 631



RCI 631 BK

Code **08028403**

EAN Code **8422248055024**



RCI 631 WH

Code **08028003**

EAN Code **8422248058674**




RCI 631 IVORY

Code **08028801**

EAN Code **8422248054546**



- **4 gas burners:**
 - Rear Left: 1 **triple ring** of 3.5kW
 - Front Left: 1 semi-fast of 1.75kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 auxilliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **58 cm wide**
- **Total power 8.1kW**



LCI 302 BK




LCI 302 BK

Code **08047406**

EAN Code **8422248055093**

- **2 gas burners:**
 - Rear: 1 fast of 3kW
 - Front: 1 auxilliary of 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **30 cm wide**
- **Total power 4.0kW**







L 905 TI



L 905 TI

Code **08005300**


EAN Code **8422248044080**

L 905 TI 110/60Hz

Code **08005930**

EAN **8422248055031**

- **5 gas burners:**
 - Rear Left: 1 fast, 3kW
 - Front Left: 1 semi-fast, 1.75kW
 - Centre: 1 **triple ring**, 3.5kW
 - Rear Right: 1 semi-fast, 1.75kW
 - Front Right: 1 auxiliary, 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **85 cm wide with 70 cm** built-in cut out
- **Total power 10.9kW**



L 705 TI




L 705 TI

Code **08036303**

EAN Code **8422248023221**

- **5 gas burners:**
 - Rear Left: 1 fast, 3kW
 - Front Left: 1 semi-fast, 1.75kW
 - Centre: 1 **triple ring**, 3.5kW
 - Rear Right: 1 semi-fast, 1.75kW
 - Front Right: 1 auxiliary, 1kW
- Plug-in autoignition
- Flame Failure Device
- **Cast iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **68 cm wide with 60 cm** built-in cut out
- **Total power 10.9kW**





LGD 631




LGD 631

Code **08066002**

EAN Code **8422248058735**

- **4 gas burners:**
 - Rear: 1 semi-fast of 1.75kW
 - Front: 1 auxiliary of 1kW
 - Right: 1 **triple ring** of 3.5kW
 - Left: 1 fast of 3kW

- Plug-in autoignition
- Flame Failure Device
- **Cast Iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **58 cm** wide
- **Total Power 9.2kW**



LGI 631




LGI 631

Code **08006300**

EAN Code **8422248055062**

- **4 gas burners:**
 - Rear Left: 1 **triple ring** of 3.5kW
 - Front Left: 1 auxiliary of 1kW
 - Rear Right: 1 semi-fast of 1.75kW
 - Front Right: 1 semi-fast of 1.75kW

- **WOK for triple ring burner included**
- Plug-in autoignition
- Flame Failure Device
- **Cast Iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59 cm** wide
- **Total Power 8.3kW**



GI 6031 X




GI 6031 X

Code **08066011**

EAN Code **8422248067331**

- **4 gas burners:**
 - Rear Left: 1 semi-fast, 1.75kW
 - Front Left: 1 **triple ring**, 3kW
 - Rear Right: 1 semi-fast, 1.75kW
 - Front Right: 1 auxiliary, 1kW

- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for city gas
- LPG injectors included in the box
- **59 cm** wide
- **Total power 7.5kW**





GI 6004 X



GI 6004 X


Code **08066600**

EAN Code **8422248067775**

• 4 gas burners:

- Rear Left: 1 semi-fast, 1.75kW
- Front Left: 1 fast, 3kW
- Rear Right: 1 semi-fast, 1.75kW
- Front Right: 1 auxiliary, 1kW

- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for city gas
- LPG injectors included in the box
- **59 cm** wide
- **Total power 7.5kW**



GI 6021 X



GI 6021 X


Code **08068308**

EAN Code **8422248067348**

• 3 gas burners:

- Left: 1 **triple ring**, 3kW
- Rear: 1 semi-fast, 1.75kW
- Front: 1 auxiliary, 1kW

- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for city gas
- LPG injectors included in the box
- **59 cm** wide
- **Total power 5.75kW**





GI 302



GI 302


Code **08039311**

EAN Code **8422248058742**

• 2 gas burners:

- Rear: 1 fast, 3kW
- Front: 1 auxiliary, 1kW

- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grilles/burners
- Suitable for city gas
- LPG injectors included in the box
- **30 cm** wide
- **Total power 4kW**



302 TI



302 TI


Code **08039310**

EAN **8422248055109**

• 2 gas burners:

- Rear: 1 rapid, 3kW
- Front: 1 auxiliary, 1kW

- Plug-in autoignition
- **Enamelled** grilles/burners
- Suitable for **natural gas**
- LPG injectors included in the box
- **30 cm** wide
- **Total power 4Kw**





LXB 631




LXB 631

Code **08066003**

EAN **8422248060271**

- **4 gas burners:**
 - Rear left: 1 semi-fast, 1.75kW
 - Front left: 1 **triple ring**, 3kW
 - Rear Right: 1 semi-fast, 1.75kW
 - Front Right: 1 auxiliary, 1kW
- Plug-in autoignition
- **Cast Iron** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59cm** wide
- **Total power 7.5kW**



XB 631 LA




XB 631 LA

Code **08066007**

EAN **8422248065016**

- **4 gas burners:**
 - Rear left: 1 semi-fast, 1.75kW
 - Front left: 1 **triple ring**, 3kW
 - Rear Right: 1 semi-fast, 1.75kW
 - Front Right: 1 auxiliary, 1kW
- Flame Failure Device in triple ring (**XB 631 LA**)
- Plug-in autoignition
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59cm** wide
- **Total power 7.5kW**





GI 6004 X



GI 6004 X



Code **08066600**

EAN **8422248067775**

• 4 gas burners:

- Rear Left: 1 semi-fast, 1.75kW
- Front Left: 1 fast, 3kW
- Rear Right: 1 semi-fast, 1.75kW
- Front Right: 1 auxiliary, 1kW

- Plug-in autoignition
- Flame Failure Device
- **Enamelled** grills/burners
- Suitable for **city gas**
- LPG injectors included in the box
- **59 cm** wide
- **Total power 7.5kW**



XB 604



XB 604


Code **08031302**

EAN **8422248060530**

• 4 gas burners:

- Front left: 1 fast, 3 kW
- Rear left: 1 semi-fast, 1.75 kW
- Front Right: 1 auxiliary, 1 kW
- Rear Right: 1 semi-fast, 1.75 kW

- Plug-in autoignition
- **Enamelled** grills/burners
- **Exclusive for City Gas**
- LPG injectors included in the box
- **59cm** wide
- **Total power 7.5kW**



cataC



+4 - 18



Dishwashers, washing machine and refrigerator Lave-vaisselles, lave-linges et réfrigérateurs

After more than 65 years of experience, Cata keeps innovating and offering new products.

Avec l'expérience de plus de 65 ans, nous continuons à innover pour offrir de nouveaux produits.

The new retailer products that you will find in this new catalogue, are designed, developed and manufactured with the clear orientation to meet the needs of our customers, providing solutions for efficiency, durability and reliability.

The new CATA refrigerators, dishwashers and washing machines are the best proof that the functionality is not incompatible with design and elegance.



Integration Solutions

The **CATA** Integration refrigerators, washing machines and dishwashers fit perfectly with the rest of the kitchen, while achieving high quality and efficiency.



Lave-vaisselles, lave-linges et réfrigérateurs

Les nouveaux produits de la ligne blanche que vous trouverez dans ce nouveau catalogue, sont conçus, développés et fabriqués avec l'orientation claire de satisfaire les besoins de nos clients, en fournissant des solutions pour l'efficacité, la durabilité et la fiabilité.

Les nouveaux réfrigérateurs, lave-vaisselles et lave-linges intégrables de CATA sont la meilleure démonstration que la fonctionnalité ne soit pas incompatible avec le dessin et l'élégance.

Solutions d'intégration

Les réfrigérateurs, les lave-linges et les lave-vaisselles d'intégration de Cata s'adaptent parfaitement avec le reste de la cuisine, en plus d'obtenir une grande qualité et efficacité.

High efficiency Refrigerators

With **CATA A+** refrigerators you can achieve significant energy savings, resulted in a large cost savings. Electronic thermostats allow to accurately maintain the set temperature, achieving better food preservation, extending the life of the refrigerator.



No Frost system

It allows optimum circulation of cold and dry air in the different compartments, eliminating frost formation both in food and in the freezer itself.



Dishwashers and washing machines with washing precise control and high efficiency

CATA dishwashers are very intuitive and easy to use, electronics and control panel provides all the necessary information at all times.

A++ in a dishwasher and A+++ in a washing machine.



Réfrigérateurs à haute efficacité

Avec les réfrigérateurs A+ de CATA s'obtient des importantes économies d'énergie, qui se traduit en des importantes économies financières. Les thermostats électroniques permettent de maintenir avec précision la température sélectionnée, atteignant une meilleure conservation des aliments, prolongeant la vie du réfrigérateur.

Système No Frost

Il permet une circulation optimale de l'air froid et sec dans les différents compartiments, éliminant la formation de givre à la fois dans les aliments et dans le congélateur lui-même.

Lave-vaisselles et lave-linges avec un contrôle précis de lavage et de haute efficacité

Les lave-vaisselles de CATA sont très intuitifs et faciles à utiliser, l'électronique et le panneau de commande offre toute l'information nécessaire tout le temps.

A++ en lave-vaisselle et A+++ en lave-linges.




LVI 60014


LVI60014

Code **07200000**

EAN Code **8422248069021**

- **14 place settings**
- **Energy class A++** drying and cleaning A
- **3rd layer cutlery basket**
- Variable consumption according to load
- 12 liters water consumption per cycle
- 49 dB(A) noise level
- 5 programs: Intensive, normal, ECO, Express 90', Quick
- Functions: Program delay 3/6/9 h, half load, extradry, stop/pause
- **LED indicators:** Salt level, low rinse aid
- Regulable upper basket with folding supports
- Lower basket with folding supports




LVI 45009


LVI45009

Code **07201000**

EAN Code **8422248069038**

- **10 place settings**
- **Energy class A++** drying and cleaning A
- **3rd layer cutlery basket**
- Variable consumption according to load
- 10,5 liters water consumption per cycle.
- 49 dB(A) noise level
- 4 programs: Auto, ECO, Glass, Fast
- Functions: Program delay up to 24 h, half load, extradry, stop/pause
- Display: Program delay 24 h, remaining time, cleaning phases salt and polish, programs.
- **LED indicators:** Salt level, low rinse aid.
- Regulable upper basket with folding supports
- Lower basket with folding supports



BUILT-IN WASHING MACHINE



LI 08012




LI 08012

Code 07900000

EAN Code 8422248053112

- 8 Kgs capacity
- 1200 rpm
- Energy class A+++
- Washing programs: 15
- LCD screen with information of washing process, program delay 19h, time and remaining time
- Special programs : Flash 20', color, jeans, shirts, sport, antiallergic
- Options: Time reduction, 19h delay program, extra rinse, easy iron and autoclean
- **Variable consumption according to load**
- Time reduction function
- ABS system
- Children safety lock





CI 54177




CI 54177

Code 07800001

EAN Code 8422248069922

- **Energy efficiency A+**
- Combined Total 1,78 m
- Sliding door installation system
- Adjustable temperature
- **Refrigerator:** 2 large capacity drawers for vegetables
- Automatic defrost and evaporation
- 3 large capacity baskets in the freezing
- Net capacity (l): 275 (205 + 70)
- Freezing capacity 3,5kg / 24h
- Autonomy: 12 hours
- Electrical consumption: 280 Kw/year
- Climatic class: SN (10-32°) - ST (16-38°)



CI 54077




CI 54077

Code 07800000

EAN Code 8422248053075

- **Energy efficiency A+**
- Combined Total no Frost 1,78 m
- **No Frost technology in Freezer and fridge**
- Electronic temperature control with LCD display
- Sliding door installation system
- **Refrigerator:** LED interior lighting and 2 large capacity drawers for vegetables
- **Freezer:** 3 large capacity drawers and function deep freezing auto disconnection
- Net capacity 220 (173+47)
- Freezing capacity 5kg/24 hours
- Autonomy: 14 hours
- Electrical consumption: 265 Kwh/year
- Climatic class T (16-43°)







SINKS and TAPS

Wide range of reliable and lasting products adapted to your kitchen.

ÉVIERES et ROBINETS

Vaste gamme de produits fiables et durables qui s'adaptent à votre cuisine.



Synthetic Sinks

The use of the latest technology and solid resins can create sinks with performance worthy of admiration, clean shapes, with a complete lack of grain, ensuring hygiene through ease of cleaning and in turn resistant to surface scratches.

Available in White and Silver.



FINISHED WHITE COLOUR



FINISHED SILVER COLOUR

Included accessories

All **CATA** collection sinks include, with the purchase, the accessories required for proper installation such as **seal tape**, **fasteners staples**, **overflow pipe** and the **siphon**.

High strength stainless steel

The usage of stainless steel in all sinks, harmonizes perfectly with all materials in your kitchen, adding a stylish look and enhancing the colors and textures. They are easy to clean thanks to the non-porous surface and polished and rounded edges. They offer high longevity, maintaining its appearance for decades, offering resistance to heat and corrosion.



Installation Types

On surface

It is the most common and usual placement system. The sink rests on the counter and is installed quickly and easily by using staples for easy installation.



Under surface

Using this type of sink, harmony and integration between the countertop and the sink can be. This installation provides a completely smooth solution top and offers continuity, avoiding ridges and providing an easy cleaning of the surface.



Éviers synthétiques

L'utilisation de la dernière technologie et des résines solides vous permet de créer éviers avec des prestations dignes d'admiration, de formes propres, avec l'inexistence de grain, en garantissant son hygiène grâce à la facilité de nettoyage et, en même temps, résistant aux rayures de surface. Disponible en blanc et argent.

Accessoires inclus

Tous les éviers de la collection CATA incluent, à l'achat du produit, des accessoires nécessaires à l'installation tels que les bandes d'étanchéité, les agrafes de fixation, le tuyau de trop-plein et le siphon.

Acier inoxydable à haute résistance

L'utilisation d'acier inoxydable dans tous les éviers est en parfaite harmonie avec tous les matériaux de votre cuisine, ajoutant ainsi un aspect élégant et améliorant les couleurs et les textures. Les éviers sont faciles

à nettoyer grâce à la surface non poreuse et les bords polis et arrondis. Ils fournissent une grande longévité, conservant ainsi leur aspect pendant des décennies et offrant une résistance à la chaleur et à la corrosion.

Types d'installation

Sur le plan de travail

Il s'agit du système d'installation le plus courant et habituel. L'évier repose sur le plan de travail et permet une installation rapide et facile grâce à l'utilisation des agrafes de faciles à installer.

Sous le plan de travail

En utilisant ce type d'éviers, l'harmonie totale et intégration entre le plan de travail et l'évier sont garanties. Cette installation pourvoit une solution de plan de travail complètement lisse et une continuité, évitant ainsi les saillies et en rendant le nettoyage du plan de travail plus facile.

High quality finishing Details make the difference

All **CATA** models only use high-quality materials and finishes, made of melted brass and chrome. To ensure the long life of our products, both inside and outside appearance, each of our tap are subjected to strict testing to ensure optimum quality.

New INOX Tap Series

CATA incorporates in its catalogue a new series of faucets in stainless steel with high quality finishes.



Mixer tap and ceramic cartridges

Our tap offer is based on mixer models and thanks to the usage of ceramic cartridges we manage to lengthen the life of the tap, obtaining a reliable and durable product. The ceramic cartridges provide less wear and a responsive closure with absolute tightness.

Triangular reinforcements



As an accessory included in all taps of the collection, we include triangular reinforcements useful for properly and safely installing any stainless steel sink.



Functionality

From the functional point of view, CATA incorporates a range of models to suit your kitchen environment, being a functional faucet/tap without forgetting the design and ergonomics. In the current catalog we can find models with a removable spout, with a double shower and a jet function based on our choice.



Diffuser

The incorporation of the diffuser provides consistency and uniformity in the jet. Mixing the air flow with the water we get a perfect and constant pressure and a drastic saving of water and energy.

Finitions de grande qualité. Les détails qui font la différence

Tous les modèles CATA utilisent seulement des matériaux et des finitions de première qualité, fabriqués en laiton coulé et chromé. Afin d'assurer la longévité de nos produits, aussi bien l'intérieur que l'extérieur, chacun de nos robinets est soumis à des tests rigoureux et garantissant ainsi une qualité optimale.

Nouvelle série de robinets en acier inoxydable

CATA intègre dans son catalogue une nouvelle série de robinets en acier inoxydable avec des finitions à haute qualité.

Monocommandes et cartouches en céramique

Notre offre est basée sur les modèles monocommandes et, grâce à l'utilisation de cartouches en céramique, nous pouvons prolonger la durée de vie du robinet, obtenant ainsi un produit fiable et durable. Les cartouches en céramique fournissent une usure inférieure et une fermeture sensible d'étanchéité absolue.

Renforts triangulaires

En tant qu'accessoire fourni dans tous les robinets de la collection, nous incluons des renforts triangulaires nécessaires à une installation correcte et entièrement sûre de tout évier en acier inoxydable y sont inclus.

Fonctionnalité

Du point de vue fonctionnel, CATA incorpore une gamme de modèles qui s'adaptent à l'environnement de votre cuisine. Il s'agit d'une robinetterie fonctionnelle, sans oublier la conception et l'ergonomie. Dans le catalogue actuel, vous pouvez trouver les modèles avec un tuyau extractible et à double fonction, jet ou douche, au choix.

Diffuseur

L'incorporation du diffuseur pourvoit l'homogénéité et l'uniformité dans le jet. En mélangeant le flux d'air avec celui de l'eau, nous obtenons une pression parfaite et constante, tout comme une économie d'eau et d'énergie importante.

SYNTHETIC SINKS / ÉVIERs SYNTHÉTIQUE



FRSD 1 SV p162



FRSD 1 WH p162



FRS 2 SV p163



FRS 2 WH p163



FRSB 51-40 SV p164



FRSB 51-40 WH p164

UNDERMOUNT SINKS / ÉVIERs À ENCASTRER



CB 2 p165



CB 50-40 p165



CB 45-40 p166



CB 40-40 p166



CBP 40-40 p167

SINKS TOP MOUNT / ÉVIERs À POSER



CDL 1 p167



CDP 1 p168



RD 1 p168



CDS 1 p169



C-2 p169



C-2AG p170



R-2 p170



R-2 AG p171

SINKS TOP MOUNT / ÉVIERS À POSER



CSS 60-1 p171



CSS-1 p172



CS-1 p172



RS-1 p173



R-1 p173

TAPS / ROVINETS



CRA p174



CFA p174



XSA p175



XBB p175



CDA p176



CME p176



CSA p177



CMA p177




CBA p178



CBB p178



CRU p179



FRSD 1 SV

FRSD-1 SV

Code **02606300**

EAN Code **8422248070096**




Finished **SILVER** colour

- Sink upon countertop 1 bowl with drainer
- Installation in 50-cm unit
- Bowl depts 20cm
- **Made of high strength marble resin**
- Basket valve 3 1/2"

• Accessories:

- Valves
- Adjustable support for installation
- Overflow pipe



FRSD 1 WH

FRSD-1 WH

Code **02606000**

EAN Code **8422248070089**




Finished **WHITE** colour

- Sink upon countertop 1 bowl with drainer
- Installation in 50-cm unit
- Bowl depts 20cm
- **Made of high strength marble resin**
- Basket valve 3 1/2"

• Accessories:

- Valves
- Adjustable support for installation
- Overflow pipe





FRS 2 SV

FRS-2 SV

Code **02607300**

EAN Code **8422248070072**




Finished **SILVER** colour

- Sink upon countertop 2 bowls
- Installation in 80-cm unit
- Bowl depts 20cm
- Made of high strength marble resin
- Basket valve 3 1/2"

Accessories:

- Valves
- Adjustable support for installation
- Overflow pipe



FRS 2 WH

FRS-2 WH

Code **02607000**

EAN Code **8422248070058**





Finished **WHITE** colour

- Sink upon countertop 2 bowls
- Installation in 80-cm unit
- Bowl depts 20cm
- Made of high strength marble resin
- Basket valve 3 1/2"

Accessories:

- Valves
- Adjustable support for installation
- Overflow pipe





FRSB 51-40 SV

FRSB 51-40 SV

Code 02625302

EAN Code 8422248070041




Finished **SILVER** colour

- Sink under countertop 1 bowl
- Installation in 60-cm unit
- Bowl depts 20cm
- Made of high strength marble resin
- Basket valve 3 1/2"

Accessories:

- Valves
- Adjustable support for installation
- Overflow pipe



FRSB 51-40 WH

FRSB 51-40 WH

Code 02625001

EAN Code 8422248070034




Finished **WHITE** colour

- Sink under countertop 1 bowl
- Installation in 60-cm unit
- Bowl depts 20cm
- Made of high strength marble resin
- Basket valve 3 1/2"

Accessories:

- Valves
- Adjustable support for installation
- Overflow pipe





CB 2

CB 2


Code **02607101**

EAN Code **8422248074681**

- **Double square bowl**
- Installation in 90-cm unit
- Bowl depts 20cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

•Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon



CB 50-40

CB 50-40


Code **02625300**

EAN Code **8422248048743**

- **Square bowl**
- Installation in 60-cm unit
- Bowl depts 20cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

•Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon





CB 45-40

CB 45-40

Code **02621009**



EAN Code **8422248043175**

• Square bowl

- Installation in 60-cm unit
- Bowl depth 18cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon



CB 40-40

CB 40-40

Code **02624001**


EAN Code **8422248036894**


• Square bowl

- Installation in 50-cm unit
- Bowl depth 18cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• Accessories:

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon





CBP 40-40 **N**

CBP 40-40


Code **02624300**

EAN Code **8422248074360**

- **Square bowl**
- Installation in 50-cm unit
- **Bowl depts 20cm**
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon



CDL 1 **N**

CDL 1


Code **02606600**

EAN Code **8422248074445**

- **1 square bowl with draining board**
- Installation in 45-cm unit
- Bowl depts 17cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon






CDP 1

**CDP 1**Code **02606500**EAN Code **8422248074438**


- **1 square bowl with draining board**
- Installation in 45-cm unit
- Bowl depth 17,5cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- **Accessories:**
 - **Pre-sealing strap in the sink, easy installation and ensures sealing**
 - Fastening clamps
 - Overflow pipe
 - Siphon



RD 1

**RD 1**Code **02603300**EAN Code **8422248074414**

- **1 round bowl with draining board**
- Installation in 45cm unit
- Bowl depth 15cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- **Accessories:**
 - Watertight strip
 - Fastening clamps
 - Overflow pipe
 - Siphon





CDS 1


**CDS 1**Code **02606400**EAN Code **8422248074421**

- **1 square bowl with draining board**

- Installation in 45-cm unit
- Bowl depths 15cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

- **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon



C 2


**C 2**Code **02607100**EAN Code **8422248074407**

- **2 square bowl**

- Installation in 80-cm unit
- Bowl depths 15cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

- **Accessories:**

- **Pre-sealing strap in the sink, easy installation and ensures sealing**
- Fastening clamps
- Overflow pipe
- Siphon






C 2 AG

C 2 AGCode **02607209**EAN Code **8422248046564**


- **2 square bowl**
- Installation in 80-cm unit
- Bowl depths 18cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- **Accessories:**
 - Watertight strip
 - Fastening clamps
 - Overflow pipe
 - Siphon
 - Includes **stainless steel lid** for hole if the tap is installed on the top or in the wall



R 2

**R 2**Código **02604300**EAN **8422248074391**

- **2 round bowl**
- Installation in 90-cm unit
- Bowl depths 15cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- **Accessories:**
 - **Pre-sealing strap in the sink, easy installation and ensures sealing**
 - Fastening clamps
 - Overflow pipe
 - Siphon






R 2 AG

R 2 AGCode **02604209**EAN Code **8422248043151**

- **2 round bowl**
- Installation in 90-cm unit
- Bowl depts 18cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"
- **Accessories:**
 - Watertight strip
 - Fastening clamps
 - Overflow pipe
 - Siphon
 - Includes **stainless steel lid** for hole if the tap is installed on the top or in the wall




CSS 60-1

**CSS 60-1**Code **02612300**EAN Code **8422248074377**

- **Square bowl**
- Installation in 60-cm unit
- Bowl depts 15cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

- **Accessories:**
 - Watertight strip
 - Fastening clamps
 - Overflow pipe
 - Siphon




CSS 1 **N****CSS 1**Code **02612400**EAN Code **842224874384**• **Square bowl**

- Installation in 50-cm unit
- Bowl depts 15cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon




CS 1

CS 1Code **02612101**EAN Code **8422248055338**• **Square bowl**

- Installation in 50-cm unit
- Bowl depts 16,5cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon






RS 1

RS 1Code **02602141**EAN Code **8422248037907**• **Round bowl**

- Installation in 45-cm unit
- Bowl depth 18cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon




R 1

R 1Code **02601109**EAN Code **8422248046572**• **Round bowl**

- Installation in 45-cm unit
- Bowl depth 18cm
- Stainless steel AISI 304 18/8
- Basket valve 3 1/2"

• **Accessories:**

- Watertight strip
- Fastening clamps
- Overflow pipe
- Siphon





CRA

CRA


Code 02500003

EAN Code 8422248069946

- Removable single control
- Ceramic cartridge
- Removable stem, revolving and airer
- Brackets to strengthen the installation

•Accessories:

- Flexible connection pipes



CFA

CFA


Code 02500004

EAN Code 8422248069953

- Vertical mixer
- Ceramic cartridge
- Revolving stem and airer
- Brackets to strengthen the installation

•Accessories:

- Flexible connection pipes






XSA

XSACode **02500005**EAN Code **8422248069960**

- **Removable single control**
- Ceramic cartridge
- Removable stem, revolving and ailer
- **Stainless Steel finishing**

• **Accessories:**

- Flexible connection pipes




XBB

XBBCode **02501002**EAN Code **8422248069977**

- **Vertical mixer**
- Ceramic cartridge
- Revolving stem and ailer
- **Brackets to strengthen the installation**
- **Stainless Steel finishing**

• **Accessories:**

- Flexible connection pipes





CDA



CME

CDA

Code 02500000

EAN Code 8422248049054

- **Removable single control**
- Ceramic cartridge
- Removable stem (60cm max.), revolving and airer
- Water jet selector, normal or shower

• **Accessories:**

- Flexible connection pipes

CME



Code 02500001

EAN Code 8422248049061

- **Removable single control**
- Ceramic cartridge
- Removable stem (80cm max.), revolving and airer
- Water jet selector, normal or shower
- **Brackets to strengthen the installation**

• **Accessories:**

- Flexible connection pipes






CSA

CSACode **02500002**EAN Code **8422248055352**

- **Vertical mixer**
- Ceramic cartridge
- Revolving stem and airer
- **Brackets to strengthen the installation**

• **Accessories:**

- Flexible connection pipes




CMA

CMACode **02504004**EAN Code **8422248055345**

- **Vertical mixer**
- Ceramic cartridge
- Revolving stem and airer
- **Brackets to strengthen the installation**

• **Accessories:**

- Flexible connection pipes






CBA

CBACode **02502001**EAN Code **8422248021180**

- **Vertical mixer**
- Ceramic cartridge
- Revolving stem and airer
- **Brackets to strengthen the installation**

• **Accessories:**

- Flexible connection pipes




CBB

CBBCode **02501001**EAN Code **8422248021197**

- **Vertical mixer**
- Ceramic cartridge
- Revolving stem and airer

• **Accessories:**

- Flexible connection pipes



TAPS



CRU 

CRU


Code 02504005

EAN Code 8422248074599

- **Vertical traditional mixer**
- Ceramic cartridge
- Revolving stem and airer
- **Brackets to strengthen the installation**

•Accessories:

- Flexible connection pipes







KITCHENWARE USTENSILES DE CUISINE

The perfect combination in your kitchen / La combinaison parfaite dans votre cuisine

New range of **CATA** Cookware for the Kitchen

The new range of **CATA** products and cookware lets you configure a complete and comprehensive catalogue covering all needs for food processing, both professional and particular.

With careful design and finishes, ergonomic handles and lids designed for energy conservation, all cooking vessels have been manufactured with the best materials to be used in any kitchen, whether **gas, induction or electric hob**.



Pressure cookers: **Qualichef** and **Splendour**

Cooking with the pressure pot is **cheaper than other traditional methods of cooking**, it uses less power and less cooking time, up to 70% less. The high conductivity of aluminium makes the heat to be distributed quickly and evenly across the bottom of the pot.



Nouvelle gamme d'ustensiles de **CATA** pour la cuisine

La nouvelle gamme de produits et de récipients de cuisson de **CATA** permet de configurer un catalogue complet et intégral couvrant tous les besoins pour l'élaboration des aliments, à la fois professionnelle et privée.

Avec un design et une finition soignée, des manches ergonomiques et des couvercles conçus pour l'économie d'énergie, tous les récipients de cuisson ont été fabriqués avec les meilleurs matériaux à utiliser dans toutes les cuisines, que ce soit de **gaz, induction, vitrocéramique ou électrique**.

Autocuiseurs: **Qualichef** et **Splendour**

Cuisiner avec l'autocuiseur est plus économique que d'autres méthodes traditionnelles de cuisson, on utilise moins d'énergie et le temps de cuisson est moindre, jusqu'à 70% moins. La conductivité élevée de l'aluminium fait que la chaleur est distribuée rapidement et uniformément dans tout le fond de la marmite.

Masterclass set of cooking pots

Stainless steel with a background that combines ferritic steel (0.7 mm) with aluminium (5 mm). On the set of Masterclass cooking pots, you can find a **20 cm** in diameter high pot, a **24 cm** in diameter low pot, a 24 cm in diameter sautex and a **16 cm** diameter pumped saucepan.



Masterclass set of pans

Stainless steel body with a bottom of 4 mm aluminium. Its quantanium covering guarantees a resistant durability and non-stick properties. With three different diameters: **20**, **24** and **28 cm**.



Shine set of cooking pots

Stainless steel with a bottom that combines ferritic steel (0.5 mm) with aluminium (4 mm). It contains a 16 cm in diameter French type saucepan, a **20 cm** in diameter tall pot and a **28 cm** in diameter low pot.



Set de casseroles Masterclass

D'acier inoxydable avec un fond qui combine l'acier ferritique (0,7 mm) avec l'aluminium (5 mm). Sur le set de casseroles Masterclass nous trouvons une casserole haute de 20 cm de diamètre, une casserole basse de 24 cm de diamètre, un faitout de 24 cm de diamètre et une sauteuse évasée de 16 cm de diamètre.

Set de poêles Masterclass

Corps en acier inoxydable avec un fond de 4 mm en aluminium. Son revêtement de Quantanium assure des propriétés antiadhésives résistants et d'une durabilité plus grande. Avec trois diamètres différents: 20, 24 et 28 cm.

Set de casseroles Shine

D'acier inoxydable avec un fond qui combine l'acier ferritique (0,5 mm) avec l'aluminium (4 mm). Il contient une sauteuse type française de 16 cm de diamètre, une casserole haute de 20 cm de diamètre et une casserole basse de 28 cm de diamètre.



QUALICHEF



OLLA QUALICHEF 4L

Code 03003000 - EAN Code 8422248067034

OLLA QUALICHEF 6L

Code 03003001 - EAN Code 8422248067041

OLLA QUALICHEF 8L

Code 03003002 - EAN Code 8422248067058

OLLA QUALICHEF 10L

Code 03003003 - EAN Code 8422248067065

PRESSURE COOKER 4, 6, 8 and 10 liters

- Easy-to-use traditional model
- Easy storage short handles
- 0,55 bar
- Function valve
- Safety valve 0,85 bar
- 1 pressure level
- Robust and resistant bridge
- Convex shaped body Stainless steel 18/10
- Apt for all types of hobs, gas, electric, vitroceramic and induction.



Pressure cooker Qualichef 4L



Pressure cooker Qualichef 6L



Pressure cooker Qualichef 8L



Pressure cooker Qualichef 10L



SPLENDOUR



OLLA SPLENDOUR 4L

Code 03004001 - EAN Code 8422248067089

OLLA SPLENDOUR 6L

Code 03004002 - EAN Code 8422248067096

OLLA SPLENDOUR 8L

Code 03004003 - EAN Code 8422248067102

OLLA SPLENDOUR 10L

Code 03004004 - EAN Code 8422248067119

PRESSURE COOKER 4, 6, 8 and 10 liters

- Valve system: Autocleaning valve
- Ergonomic handle
- Stainless Steel 18/10 convex body
- Easy-to-use long handle
- 2 pressure levels: 0,55 / 1,05 bar
- Decompression position
- Horizontal Steam outlet
- Apt for all types of hobs, gas, electric, vitroceramic and induction.



Pressure cooker Splendour 4L



Pressure cooker Splendour 6L



Pressure cooker Splendour 8L



Pressure cooker Splendour 10L



SET SPLENDOUR



SET COOKERS SPLENDOUR 4L+6L WITH STEAM BASKET

Code **03004000**

EAN Code **8422248067072**

SET COOKERS SPLENDOUR 4L+6L WITH STEAM BASKET

- It includes: 4l pot, 6l pot, versatile cover and multi-purpose basket
- Stainless steel convex body 18/10
- Long handle easy handling
- 2 pressure levels: 0.55 / 1.05 bar for extra-quick cooking
- Position decompression
- Horizontal steam output I
- Apt for all types of hobs, gas, electric, vitroceramic and induction.



Pressure cooker Splendour 4L



Pressure cooker Splendour 6L



steam basket

SHINE



SET SHINE

Code **03000000**

EAN Code **8422248066907**

SET SHINE

- Stainless Steel Kitchen Battery.
- Straight lines and elegant design.
- TALL POT - ø 20cm
- SHORT POT - ø 28cm
- SAUCEPAN - ø 16cm
- Apt for cleaning in the dishwasher machine.
- Apt for all types on hobs, gas, electric, vitroceramic and induction.



SAUCEPAN - ø 16cm

Stainless Steel SaucePan with compact fund diffuser of high efficiency.



SHORT POT - ø 28cm

Stainless Steel Short Pot with compact fund diffuser of high efficiency



TALL POT - ø 20cm

Stainless Steel Tall Pot with compact fund diffuser of high efficiency



SET MASTERCLASS



SET MASTERCLASS

Code **03001000**

EAN Code **8422248066945**

SET MASTERCLASS

- Stainless Steel Professional Kitchen Battery.
- Stainless Steel Handles riveted to the pan, that provides a long life and better resistance.
- Curved Lines and practical design to wash.
- Apt for all types on hobs, gas, electric, vitroceramic and induction.
- Apt for cleaning in the dishwasher machine.



SET MASTERCLASS PANS



SET MASTERCLASS PANS

Code **03002000**

EAN Code **8422248066990**

SET MASTERCLASS PANS

- Stainless Steel attractive and elegant pans set.
- Stainless Steel Handle riveted to the pan, that provides a long life and better resistance.
- Nonstick Multilayer, that provides a longevity life and better resistance.
- Apt for all types on hobs, gas, electric, vitroceramic and induction.
- Apt for cleaning in the dishwasher machine.



SAUCEPAN - ø 16cm

Stainless Steel SaucePan with compact fund diffuser of high efficiency.



SAUTE PAN - ø 24cm

Stainless Steel Saute Pan with compact fund diffuser of high efficiency.



TALL POT - ø 20cm

Stainless Steel Tall Pot with compact fund diffuser of high efficiency.



SHORT POT - ø 24cm

Stainless Steel Short Pot with compact fund diffuser of high efficiency.



PAN ø 20cm

Stainless steel pan with nonstick multilayer.



PAN ø 24cm

Stainless steel pan with nonstick multilayer.



PAN ø 28cm

Stainless steel pan with nonstick multilayer.



www.cata.es

Since forever with you / Depuis toujours avec vous

cata 

CNA
●●●group

CATA ELECTRODOMÉSTICOS, S.L. - c/ del Ter, 2 - 08570 TORELLÓ (Barcelona) SPAIN
Dpto. Com. +34 93 859 41 53 - Dpto. Export. +34 93 859 41 58
Tels. +34 859 41 00 - Fax +34 93 859 41 01 - www.cnagroup.es - cna@cnagroup.es



N° ES044225-1

